

Product datasheet

Specifications



APC Easy Rack, 48U, Black, With Roof, Castors, Feet, 4 Brackets, and Side Panels, No Bottom, 2258H x 800W x 1200D mm

ER8822

Overview

Lead Time Usually in Stock

Main

Product Or Component Type Rack enclosure

Number Of Rack Unit 48U

Provided Equipment

- Baying hardware
- Key(s)
- Keyed-alike doors and side panels
- Leveling feet
- Mounting hardware
- Pre-installed casters
- Side panels

Physical

Height 225.8 cm

Width 80 cm

Depth 120 cm

Net Weight 150 kg

Colour Black

Mounting Mode Not rack-mountable

Maximum Mounting Depth 104.14 cm

Minimum Mounting Depth 24.16 cm

Rack Width 19"

Marking

- 18 gauge front door
- 19 gauge rear door
- 16 gauge post
- 14 gauge EIA mounting rail

Permanent Permissible Load

- 1199.75 kg static
- 599.65 kg dynamic

Conformance

Standards

- UL 2416
- UL 60950-1
- EIA-310E

Packing Units

Unit Type Of Package 1 PCE

Number Of Units In Package 1 1

Package 1 Height	239 cm
Package 1 Width	125 cm
Package 1 Length	85 cm
Package 1 Weight	159 kg
Pallet Layers	1

Contractual warranty

Warranty	5 year repair or replace
-----------------	--------------------------

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

[Learn more >](#)



RoHS/REACH

Well-being performance

Reach Free Of Svhc

Toxic Heavy Metal Free

Mercury Free

Rohs Exemption Information Yes

Certifications & Standards

Reach Regulation

[REACH Declaration](#)

Eu Rohs Directive

Pro-active compliance (Product out of EU RoHS legal scope)

[EU RoHS Declaration](#)

China Rohs Regulation

[China RoHS declaration](#)

Product out of China RoHS scope. Substance declaration for your information
