

Voxicon VXD-O34QHDC Ultrawide Curved Bildskärm USB-C 65W 34" 3440 x 1440pixels IPS 21:9 100Hz

Header

Manufacturer Voxicon

Display

Display diagonal	34 "
Display resolution	3440 x 1440 pixels
Native aspect ratio	21:9
Display technology	LED
Touchscreen	No
HD type	2K
Panel type	IPS
Backlight type	LED
LED backlight	Yes
Display brightness (peak)	300 cd/m ²
Response time	5 ms
Screen shape	Curved
Aspect ratio	21:9
Screen curvature rating	1900R
Contrast ratio (typical)	2000:1
Viewing angle, horizontal	178 °
Maximum refresh rate	100 Hz
High Dynamic Range (HDR) supported	Yes

Viewing angle, vertical	178 °
Pixel density	109 ppi
Display number of colours	1.07 billion colours
Response time (fast)	5 ms
Surface hardness	3H
High Dynamic Range (HDR) technology	High Dynamic Range 10 (HDR10)
Haze rate	25 %

Performance

NVIDIA G-SYNC	Yes
AMD FreeSync	Yes
VESA Adaptive Sync support	Yes
NVIDIA G-SYNC type	G-SYNC Compatible
Flicker-free technology	Yes
AMD FreeSync refresh rate range	48 - 100 Hz
AMD FreeSync type	FreeSync
Low Blue Light technology	Yes

Multimedia

Built-in speaker(s)	Yes
Number of speakers	2
Built-in camera	No
RMS rated power	3 W

Design

Market positioning	Business
Product colour	Black
Refurbished	No
Certification	CE, FCC ,RoHS

Ports & interfaces

Built-in USB hub	Yes
USB upstream port type	USB Type-B, USB Type-C
USB hub version	2.0
Number of upstream ports	2
USB Type-A downstream ports quantity	2
Number of USB Type-C upstream ports quantity	

Number of USB Type-B upstream ports quantity

USB Type-C downstream ports quantity 1

HDMI ports quantity 1

USB Power Delivery Yes

HDMI Yes

DisplayPorts quantity 1

USB Power Delivery up to 65 W

HDCP Yes

HDCP version 2.3

HDMI version 2.0

DisplayPort version 1.4

Headphone out Yes

Headphone outputs 1

Ergonomics

VESA mounting Yes

Cable lock slot Yes

Panel mounting interface 100 x 100 mm

Wall mountable Yes

Cable management Yes

Height adjustment Yes

Cable lock slot type Kensington

Plug and Play Yes

Tilt adjustment Yes

Tilt angle range 15 - -5 °

On Screen Display (OSD) Yes

Picture-in-Picture Yes

Power

Energy efficiency class (SDR) F

Energy efficiency class (HDR) F

Energy consumption (SDR) per 1000 hours 27 kW·h

Power consumption (max) 120 W

Power consumption (typical) 40 W

Energy consumption (HDR) per 1000 hours 29 kW·h

Power consumption (standby)	0.5 W
AC input voltage	220 - 230 V
Power supply type	External
AC input frequency	50 - 60 Hz
Power consumption (off)	0 W
Input current	5 A
AC adapter output voltage	24 V
External power adapter	Yes

Packaging content

Manual	Yes
Stand included	Yes
Cables included	HDMI, USB Type C
Power adapter included	Yes

Weight & dimensions

Weight (with stand)	5700 g
Weight (without stand)	4500 g

Technical details

Warranty period	3 year(s)
Compliance certificates	CE, RoHS