

Voxicon VX-P80-B - Bluetooth-hodesett med Teams-støtte og



Header

Manufacturer Voxicon

Model VX-P80

Performance

Product type Headset

Wearing style Head-band

Recommended usage Office/Call center

Headset type Stereo

Product colour Black

Control type Buttons

Operating keys Answer/end call, Bluetooth pairing, Microsoft Teams button, Multi-key, Mute, Play/Pause, Reject call, Track <, Track >, Volume -, Volume +

Volume control Button

Control unit type On-ear control unit

Detachable cable Yes

DECT connectable No

Phonebook access profile (PBAP) No

Virtual surround No

Housing material Plastic

Motion sensor No

Game mode	No
LED indicators	Bluetooth
BeamForming	No
Music playback	Yes
Optical sensor	No
Position sensor	No
On/off switch	Yes
HD voice	No
Audio chip	Qualcomm QCC3034
Clear sound	No
Built-in ultraviolet clarifier	No
Country of origin	China
Accelerometer	No
Adjustable headband	Yes
Gyroscope	No
Suitable for indoor use	Yes
Suitable for outdoor use	No
MP3-player	No
Over the Air Updates (OTA)	No
Bone conduction sensor	No
Personalized Spatial Audio	No
In-ear pressure relief	No
Auto-connect	Yes
Adaptive Audio	No
Conversation Awareness	No
Daisy chain	No
Refurbished	No

Ports & interfaces

Connectivity technology	Wired & Wireless
Lightning connector	No
USB connectivity	Yes
3.5 mm connector	Yes
Connector contacts plating	Aluminium

USB connector	USB Type-C
6.35 mm connector	No
2x 3.5 mm connectors	Yes
Bluetooth	Yes
Frequency response (talk mode)	20 - 20000 Hz
Bluetooth profiles	A2DP, AAC, APTX, APTX-HD, AVRCP, HFP, HSP, SBC
Frequency response (music mode)	20 - 20000 Hz
RF connectivity	No
Bluetooth version	5.1
Microphone in	No
Wireless range	10 m

Headphones

Maximum input power	50 MW
Ear coupling	Supraaural
Headphone frequency	20 - 20000 Hz
Driver unit	40 mm
Impedance	32 Ohm
Acoustic system	Closed
Noise canceling	No
Headphone sensitivity	108 dB
Noise reduction	No
Number of drivers	1
Transparency mode	No

Microphone

Microphone type	Boom
Microphone frequency	100 - 10000 Hz
Microphone sensitivity	-30 dB
Noise-canceling switch	No
Folding microphone	Yes
Microphone input impedance	2200 Ohm
Microphone direction type	Omnidirectional
Detachable microphone	No
10-microphone technology	No

Number of microphones	2
Hybrid noise-canceling	No
MEMS (Micro-Electro-Mechanical System) microphone	No
Microphone noise-canceling	Yes
Microphone mute	Yes

Battery

Battery operated	Yes
Battery type	Built-in battery
Rechargeable battery	Yes
Continuous audio playback time	35 h
Battery capacity	600 mAh
Talk time	30 h
Battery recharge time	2 h
Standby time	250 h
Charging source	USB-C
Battery recharge time (charging case)	2 h
Battery voltage	3.7 V

Power

USB Type-C charging port	Yes
USB Power Delivery (USB PD)	No
Required charging power (min)	0.3 W
Required charging power (max)	5 W

Base station

Base station dimensions (W x D x H)	103x87x106 mm
Base station touchscreen	No
Base station colour	Black
Base station weight	164 g
Base station USB connector	USB Type-C

Operational conditions

Operating temperature (T-T)	0 to 40 °C
Storage temperature (T-T)	up to 85 °C

Weight & dimensions

Width	181 mm
Depth	72 mm
Height	188 mm
Weight	222 g
Charging case weight	222 g

Packaging content

AC adapter included	No
Charging stand	Yes
Charging case	No
Receiver included	No
Car charger	No
Quick start guide	Yes
Built-in display (charging case)	No
Cables included	Audio (3.5mm), USB Type-A to USB Type-C
Display technology (charging case)	No
Ear pad material	Faux leather
Quantity	1

Technical details

Warranty period	2 year(s)
-----------------	-----------

Other features

Microphone cartridge	2.75 mm
Speaker diameter	40 mm
Sensitivity	108 dB
Capsule diameter	40 mm
Number of products included	1 pc(s)
Frequency range	20-20000 Hz
Package weight	216 keg
Peak power	15 W