

Voxicon Wireless Slim Metal Keyboard 295BWL Silver Iso-



Header

Manufacturer Voxicon

Keyboard

Recommended usage Office

Connectivity technology Wireless

Device interface RF Wireless

Keyboard key switch Scissors key switch

Keyboard layout QWERTY

Keyboard language Belgian

Pointing device No

Keyboard form factor Full-size (100%)

Keyboard number of keys 111

Numeric keypad Yes

Certification CE, RoHS

Bluetooth version v5.0

Frequency band 2.4 GHz

Silent keys No

Country of origin China

Design

Backlight No

Adjustable keyboard height	No
Product colour	WHITE / SILVER
Surface coloration	WHITE+SILVER
Material	Aluminium
Battery LED indicator	Yes

Features

Wireless range	10 m
Plug and Play	YES
USB connector type	USB Type-A
Number of devices supported	4
USB 2.0 ports quantity	1
Hot-swap	YES

Power

Keyboard battery type	Li-ion
USB Type-C charging port	Yes
USB Power Delivery (USB PD)	No
Required charging power (min)	0.3 W
Battery capacity	350 mAh
Battery life (max)	175 h
Required charging power (max)	5 W
Rechargeable	Yes
Auto power off	Yes
Charging source	USB-C
Battery recharge time	2 h

Mouse

Mouse included	No
----------------	----

System requirements

Windows operating systems supported	Windows
Mac operating systems supported	MacOS
Other operating systems supported	MacOS, Linux
Linux operating systems supported	Linux

Weight & dimensions

Keyboard dimensions (WxDxH)	440x126x17 mm
Keyboard weight	545 g
Weight	134 g

Operational conditions

Operating temperature (T-T)	-20~50 °C
Storage temperature (T-T)	-20~65 °C
Operating relative humidity (H-H)	8~90 %
Storage relative humidity (H-H)	8~90 %

Packaging data

Receiver included	Yes
Number of products included	1 pc(s)
Wireless receiver interface	USB Type-A
Manual	YES
Receiver type	2.4G
Packaging languages	English
Package width	454 mm
Package depth	135 mm
Package height	32 mm
Package weight	134 g
Package type	colorbox

Packaging content

AC adapter included	No
---------------------	----

Other features

Width	454 mm
Bluetooth	Yes
Dimensions (WxDxH)	454 x 135 x 32 mm