

# Prokord Workplace Charging Dockingstation USB-C 5K Dual Monitor



## Header

Manufacturer Prokord

## Ports & interfaces

Connectivity technology Wired

Host interface USB 3.2 Gen 1 (3.1 Gen 1) Type-C

USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity

USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity

HDMI ports quantity 2

USB Power Delivery Yes

USB Power Delivery up to 65 W

DisplayPorts quantity 2

HDMI version 2.0

Microphone in Yes

HDCP Yes

DisplayPort version 1.4

HDCP version 2.0

Headphone outputs 1

Headphone connectivity 3.5 mm

## Performance

Product colour Black

Housing material	Plastic
Maximum digital resolution	5120 x 2880 pixels
Number of displays supported	2
HD type	5K Ultra HD
On/off switch	Yes
Display modes	Duplicate, Extended, Mirror
Maximum refresh rate	60 Hz
Rubber feet	Yes
Key lock	Yes

## Network

Ethernet LAN (RJ-45) ports	1
Ethernet LAN	Yes
Ethernet LAN data rates	10, 100, 1000 Mbit/s

## Power

Power source type	AC
Power supply	100 W

## Weight & dimensions

Width	22.3 mm
Depth	8 mm
Height	2.6 mm
Weight	890 g

## Logistics data

Harmonized System (HS) code	84733020
-----------------------------	----------

## Software

Mac operating systems supported	Yes
Windows operating systems supported	Yes
Linux operating systems supported	Yes
Other operating systems supported	ChromeOS

## Sustainability

Sustainability compliance	Yes
---------------------------	-----

## Packaging content

Cables included	USB Type-C, USB Type-C to USB Type-A
-----------------	--------------------------------------

AC adapter included	Yes
Quick start guide	Yes
Manual	Yes

### **Packaging data**

Quantity per pack	1 pc(s)
-------------------	---------

### **Technical details**

Compliance certificates	REACH, RoHS
-------------------------	-------------