

Prokord Workplace Portreplikator Triple 4k Display 96w Usb-c USB



Header

Manufacturer Prokord

Ports & interfaces

Connectivity technology Wired

Host interface USB Type-C

USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity

USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity

HDMI ports quantity 3

USB Power Delivery Yes

USB Power Delivery up to 96 W

DisplayPorts quantity 2

Microphone in Yes

Headphone outputs 1

Headphone connectivity 3.5 mm

Combo headphone/mic port No

Performance

Product colour Black

Card reader integrated No

Housing material Plastic

Cable lock slot type Kensington

Cable lock slot	Yes
Country of origin	China
LED indicators	Power
On/off switch	Yes
Rubber feet	Yes
Daisy chain	Yes
Brand compatibility	Universal

Network

Ethernet LAN	Yes
Ethernet LAN data rates	1000 Mbit/s

Power

Power source type	DC
Output voltage	20/15/9/5V V
Output current	6.75 A
AC input voltage	100-240 V
AC input frequency	50 - 60 Hz
Power consumption (max)	135 W

Weight & dimensions

Width	250 mm
Depth	82.25 mm
Height	34.45 mm
Weight	350 g

Logistics data

Harmonized System (HS) code	84733020
-----------------------------	----------

Software

Mac operating systems supported	Yes
Windows operating systems supported	Yes
Linux operating systems supported	Yes
Other operating systems supported	ChromeOS

Packaging content

Cables included	USB Type-A to USB Type-C, USB Type-C
AC adapter included	Yes

Manual

Yes