

RP-PCB8M

Smart 4K 125° View PoE Bullet Security Camera

- 4K Ultra HD Resolution
- Color & Infrared Night Vision
- Wide 125° Diagonal View
- Smart Event Detection




Specifications

Video & Audio	
Image Sensor	1/2.7" CMOS Sensor
Resolution	3840*2160(8Megapixels)@25FPS
Lens	f=2.8mm fixed, F=1.6, with IR Cut
Zoom	N/A
Video Compression	H.265/H.264
Field of View	Horizontal: 105° Vertical: 56° Diagonal: 125°
Day & Night	IR-cut filter with auto-switching
Infrared Night Vision	30 Meters(2PCS/2.8W/850nm)
Color Night Vision	1PC/4.3W/6500K/700Lumens
Frame Rate	Main Stream: 2fps -25fps(default: 25fps) Sub Stream: 4fps - 15fps(default: 10fps)
Code Rate	Main Stream: 2048Kbps -9216Kbps(default:7168Kbps) Sub Stream: 64Kbps - 512Kbps(default: 256Kbps)


Audio	Two way Audio
Power	
PoE	IEEE 802.3af, 48V Active
DC Power	DC 12.0V 1A, <12W
Interface	
Power Port	DC power port
Ethernet Port	One 10M/100Mbps RJ45
Storage	MicroSD card slot (Max. 512GB)
Reset Button	YES
Alarm In/Out	N/A
Audio In/Out	Built-in Microphone&Speaker
Software	
Browsers Supported	Edge, Chrome, Firefox, Safari
OS Supported	PC: Windows, Mac OS; Smartphone: iOS, Android
Protocols & Standards	HTTPS, SSL, TCP/IP, UDP, HTTP, IPv4, UPnP, RTSP, RTMP, SMTP, NTP, DHCP, DNS, DDNS, FTP, P2P, ONVIF
User Access	20 Users (1 admin account & 19 user accounts); Support up to 12 simultaneous video streams (10 substreams & 2 mainstreams)
Other Features	
Smart Alarm	Motion detection/Person Detection/Vehicle Detection/Animal Detection
Perimeter Protection	Line Crossing Alert, Zone Intrusion Alert, Zone Loitering Alert
Smart Event Detection	Object Removal (beta) , Forgotten Object (beta)
Recording Modes	Motion-triggered recording (default); Scheduled recording, 24/7 recording
Smart Home Compatibility	Google Assistant
AI Video Search	N/A

AI ISP	N/A
HDR	N/A
Time Lapse	Yes
Motion Track	N/A
Working Environment	
Operating Temperature	-30°C~+55°C
Operating Humidity	10% ~ 90%
Weatherproof	IP67
Mechanical	
Dimensions	68 x 63 x 188mm
Weight (Without Accessories)	452.4g
Warranty	
Limited Warranty	3-year

Gallery & Specs



- 1. Mount
- 2. Metal Aluminium Case
- 3. Daylight Sensor
- 4. Spotlight
- 5. Lens
- 6. Infrared LED



- 1. microSD Card Slot
- 2. Waterproof Seal



- 1. Power Port
- 2. Reset Button
- 3. Network Port
- 4. Port Cover

www.reolink.com