



Prokord PD-MINI1-5PD

Data sheet

Core Specs

Host interface	USB-C
Brand compatibility	Universal
HDMI ports quantity	1

Summary

- ✓ 2x USB
- ✓ 1x HDMI
- ✓ 1x USB-C
- ✓ 1x USB-C pass through

Product description

Prokord USB-C HUB 4K@60Hz HDMI/USB/PD

Connect your USB-C compatible computer to an HDMI display or projector with the Prokord USB-C HUB 4K@60Hz HDMI/USB/PD. This handy port replicator also offers two standard USB 3.0 ports and two additional USB-C ports to enable charging your device while using the adapter.

USB-C Pass Through for Efficient Charging

The USB-C pass through feature allows you to connect your USB-C charger and efficiently charge your computer with up to 100W while using the adapter.

Crystal clear picture in 4K

Experience sharpness and detail with the Prokord Mini Port Replicator. The HDMI port supports impressive 4K@60Hz resolution for a captivating visual experience.

Easy Plug & Play installation

With the Prokord Mini Portreplicator, it's easy to get started. The adapter requires no additional software or drivers, making installation smooth and hassle-free.

Prokord - First-class adapters for your needs

Prokord's range of adapters covers a variety of needs, including video and USB adapters. Each product is carefully selected and tested to ensure the highest quality and performance.

Connections:

2x USB 1x HDMI 1x USB-C 1x USB-C pass through

Technical Specification Matrix

Header

Manufacturer	Prokord
Model	PD-MINI1-5PD

Ports & interfaces

Host interface	USB-C
Connectivity technology	Wired
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	2
USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports	1

quantity	
HDMI ports quantity	1
USB Power Delivery	Yes
USB Power Delivery up to	100 W
USB Power Delivery revision	3.0
HDMI version	2.0
USB Type-C DisplayPort Alternate Mode	Yes

Performance

Product colour	Silver
Country of origin	China
Brand compatibility	Universal

Weight & dimensions

Weight	100 g
--------	--------------

Packaging data

Quantity per pack	1 pc(s)
-------------------	----------------

Technical details

Warranty period	2 year(s)
-----------------	------------------