



IntelliSkin® & GDS® Docks™ for Zebra ET4x

OVERVIEW

AVAILABLE SKUS

RAM-GDS-SKIN-ZE42-NG

IntelliSkin® Next Gen for Zebra ET401
8" Enterprise Tablet

RAM-GDS-SKIN-ZE43-NG

IntelliSkin® Next Gen for Zebra ET401
10" Enterprise Tablet

RAM-GDS-DOCKNLL-ZE20PU

GDS® Powered Dock with Latch for Zebra
ET401 & ET40/ET45 8" with IntelliSkin®

RAM-GDS-DOCKNLL-ZE21PU

GDS® Powered Dock with Latch for Zebra
ET401 & ET40/ET45 10" with IntelliSkin®

RAM-GDS-DOCK-ZE46PU

GDS® Thin-Dock™ for Zebra ET401 &
ET40/ET45 8" with IntelliSkin®

RAM-GDS-DOCK-ZE47PU

GDS® Thin-Dock™ for Zebra ET401 &
ET40/ET45 10" with IntelliSkin®

RAM-GDS-DOCK-U4CPU

GDS® Uni-Conn™ Dock with Release Button



ET401 in
GDS® Uni-Conn™
with IntelliSkin®

ET401 in GDS® Tough-Dock™ with IntelliSkin®
(Backwards Compatible with ET40/ET45)



PRIMARY MARKETS



MATERIAL HANDLING



FIELD/UTILITY SERVICE



PUBLIC SAFETY



IntelliSkin® & GDS® Docks™ for Zebra ET4x

FEATURES & BENEFITS



Enhanced Durability with IntelliSkin®

IntelliSkin® adds enhanced protection to Zebra ET401 and ET40/ET45 tablets by combining rugged drop protection and converting the USB-C port into standardized pogo pad docking contacts for reliable charging and data sync.



Tough-Dock™ vs Thin-Dock™

GDS® Tough-Dock™ vehicle docks offer added depth to accommodate battery cover accessories while the GDS® Thin-Dock™ offers a slim, lower profile device mounting experience.



Backwards Compatible

Designed for precise fitment, the Tough-Dock™ and Thin-Dock™ work with both ET40/ET45 and ET401 tablets in an IntelliSkin®.



Add-on Accessory-Ready

Dedicated housings on the back of both dock styles are used for adding dock accessories such as temperature regulating modules and the RAM® NFC/RFID extender.



IntelliSkin® & GDS® Docks™ for Zebra ET4x

DEVICE & DOCK COMPATIBILITY

	ET40/ET45 - 8" & 10"			ET401 - 8" & 10"		
	 No Case	 Zebra Boot	 IntelliSkin®	 No Case	 Zebra Boot	 IntelliSkin®
 GDS® Tough-Dock™	⊗	⊗	✓	⊗	⊗	✓
 GDS® Thin-Dock™	⊗	⊗	✓	⊗	⊗	✓
 GDS® Uni-Conn™	⊗	⊗	✓	⊗	⊗	✓



IntelliSkin® & GDS® Docks™ for Zebra ET4x


DIMENSIONS (INTELLISKIN®)





IntelliSkin® & GDS® Docks™ for Zebra ET4x

DIMENSIONS (GDS® TOUGH-DOCK™)



SPECIFICATIONS

HARDWARE

Side bracket for accessory mounting
(4) #8-32 x 5/8" Machine Screws
(2) #8-32 x 1/2" Machine Screws
(6) #8-32 Nylock Nuts
(4) #10-24 x 5/8" Machine Screws
(2) #10-24 Nylock Nuts
(2) Small Cable Ties

HOLE PATTERN

75 x 75mm VESA
4-Hole AMPS: 1.181" x 1.496"

MATERIALS

High strength composite

OUTPUT VOLTAGE

5V-20V @ 3A

INPUT CONNECTOR

USB Type-C Female

INPUT CABLE LENGTH

1-Meter

POWER OUTPUT

60W

TRANSFER SPEED*

12 Mbps (*Data Transfer SKUs Only)

WEIGHT

1.49 lbs (single & dual USB SKUs)
1.66 lbs (single & dual USB w/ lock SKUs)
1.36 lbs (Power + Key-lock)
1.19 lb (Power only)


OUTPUT CONNECTOR

(2) USB 2.0 Type A (dual USB-A SKUs only)
(1) USB 2.0 Type A + (1) USB-C (dual USB-A/C SKUs only)
(1) USB 2.0 Type A (single USB SKUs only)



IntelliSkin® & GDS® Docks™ for Zebra ET4x

DIMENSIONS (GDS® THIN-DOCK™)



SPECIFICATIONS

HARDWARE

Side bracket for accessory mounting
 (4) #8-32 x 5/8" Machine Screws
 (2) #8-32 x 1/2" Machine Screws
 (6) #8-32 Nylock Nuts
 (4) #10-24 x 5/8" Machine Screws
 (2) #10-24 Nylock Nuts
 (2) Small Cable Ties

HOLE PATTERN

75 x 75mm VESA
 4-Hole AMPS: 1.181" x 1.496"

MATERIALS

High strength composite

OUTPUT VOLTAGE

5V-20V @ 3A

INPUT CONNECTOR

USB Type-C Female

INPUT CABLE LENGTH

1-Meter

POWER OUTPUT

60W

TRANSFER SPEED*

12 Mbps (*Data Transfer SKUs Only)

WEIGHT

1.49 lbs (single & dual USB SKUs)
 1.66 lbs (single & dual USB w/ lock SKUs)
 1.36 lbs (Power + Key-lock)
 1.19 lb (Power only)

OUTPUT CONNECTOR

(2) USB 2.0 Type A (dual USB-A SKUs only)
 (1) USB 2.0 Type A + (1) USB-C (dual USB-A/C SKUs only)
 (1) USB 2.0 Type A (single USB SKUs only)



IntelliSkin® & GDS® Docks™ for Zebra ET4x

DIMENSIONS (GDS® UNI-CONN™)

SPECIFICATIONS

HARDWARE

- (2) #8-32 x 5/8" Machine Screws
- (2) #8-32 Nylock Nuts
- (1) Cable Clamp Kit

HOLE PATTERN

2-Hole AMPS: 1.912"

MATERIALS

High strength composite

OUTPUT VOLTAGE

5V - 12V @ 3A

POWER OUTPUT

15W

INPUT CONNECTOR


USB Type-C Female

INPUT CABLE LENGTH

0.2 m

WEIGHT

0.53 lb





IntelliSkin® & GDS® Docks™ for Zebra ET4x

COMPATIBLE MOUNTS



RAM-101U

RAM® Double Ball Mount with Two Round Plates - C Size Medium



RAM-101-225B2U

RAM® Drill-Down Dashboard Mount with Backing Plate - C Size Medium



RAM-101U-2461

RAM® Double Ball Mount with 75x75mm VESA Plate



RAM-KB2-USB

Pair with GDS® Keyboard™ with Track Pad

RAM-D-247-C-254-DIS1U

RAM® Universal Forklift Post Mount with Round Plate & Accessory Option



RAP-101-PV4-2P-MAG88U

RAM® Dual 90-Degree Pivot Magnetic Mount with Knob



RAM-VB-196-SW2

RAM® No-Drill™ Universal Vehicle Floor Mount



IntelliSkin® & GDS® Docks™ for Zebra ET4x

CHARGING ACCESSORIES



RAM-GDS-CHARGE-V3C-3U

GDS® Modular 10-30V Power Delivery Hardwire Charger with Male USB Type-C



RAM-GDS-CHARGE-V3CH-2U

GDS® Modular 30-64V Power Delivery Hardwire Charger with Male USB Type-C



RAM-GDS-DOCK-6G16P

GDS® Power Supply 60W with Male DC 5.5mm



IntelliSkin® & GDS® Docks™ for Zebra ET4x ACCESSORIES



RAM-GDS-ROTO2-ZE20U

GDS® Roto-Mag™ 3-in-1 Grip Handle
Accessory for Zebra ET4x 8" Tablet



RAM-GDS-ROTO2-ZE21U

GDS® Roto-Mag™ 3-in-1 Grip Handle
Accessory for Zebra ET4x 10" Tablet



RAM-GDS-HS1-ZE21U

GDS® Hand-Stand™ for Zebra ET4x
10" Enterprise Tablet



RAM-DOCK-HEATER1-DU

RAM® Temp-Right™ Dock Heating
Module for Zebra ET4x



RAM-VENT1-RCT-50U

RAM® Vent-Temp™ with Back Dock
Connection for Rectangular Vents



RAP-SKIN-SP-11

RAM® Screen Protector for Zebra
ET401 & ET4x 8"



RAP-SKIN-SP-12

RAM® Screen Protector for Zebra
ET401 & ET4x 10"