



Receipt Paper 80/40/12-16m 55g 50-Rolls

Data sheet

Summary

- ✓ Direct thermal paper suitable for tills, kiosks, and POS terminals.
- ✓ 80 mm sheet width and 40 mm core, compatible with many retail and hospitality printers.
- ✓ 16 m roll length and 50 rolls per pack lower the frequency of reordering.
- ✓ 55 g paper weight gives clear contrast for legible receipts and reliable handling.
- ✓ Note: direct thermal paper is sensitive to heat and light, so store it in a cool, dry place.

Product description

Why choose these receipt paper rolls?

Gilford Receipt Paper 80/40/12-16m 55g 50-Rolls provides reliable direct thermal printing for everyday point-of-sale tasks. A 50-roll pack reduces downtime and keeps supplies on hand. Standard 80 mm width and 40 mm core match common printer designs, so replacements are faster and loading errors are reduced.

Receipt Paper 80/40/12-16m 55g 50-Rolls in short:

- Direct thermal paper suitable for tills, kiosks, and POS terminals.
- 80 mm sheet width and 40 mm core, compatible with many retail and hospitality printers.
- 16 m roll length and 50 rolls per pack lower the frequency of reordering.
- 55 g paper weight gives clear contrast for legible receipts and reliable handling.
- Note: direct thermal paper is sensitive to heat and light, so store it in a cool, dry place.

Practical use

These white, non-adhesive rolls load quickly and produce consistent, easy-to-read receipts for sales, returns, and order tickets. The pack size helps you keep printers supplied during busy periods and simplifies inventory management. Choose these rolls when you need straightforward, compatible media that minimizes printer stops and keeps transactions moving.

Technical Specification Matrix

Header

Manufacturer	Gilford
--------------	---------

Features

Product colour	White
Label type	Non-adhesive printer label
Format	Roll
Print technology	Direct Thermal
Shape	Rectangle

Packaging data

Quantity per pack	50 pc(s)
-------------------	----------

Weight & dimensions

Sheet width **80 mm**

Core diameter **40 mm**

Roll length **16 m**