



Prokord DP-MDP 0041

Data sheet

Core Specs

Cable length	1 m
Connector 1	DisplayPort
Connector 2	Mini DisplayPort
Product colour	White
DisplayPort version	1.2

Summary

- ✓ Delivers 4Kx2K at 60Hz for sharp video and smooth presentations
- ✓ DisplayPort 1.2 with HDCP support secures playback of protected media
- ✓ MST support lets you expand displays, ideal for multi monitor workflows
- ✓ Gold contacts and foil/braid shielding reduce signal loss and noise
- ✓ Slim 1m white PVC cable fits desks, plugs in with straight male ends

Product description

Why choose this DisplayPort cable?

Prokord Cable Displayport - Mini-Displayport 1m White gives you a compact, reliable link between Mini DisplayPort sources and DisplayPort displays. It supports DisplayPort 1.2 and 4Kx2K at 60Hz, so you get sharp video for presentations and detailed work. The cable's shielding and gold-plated contacts make connections stable in office and mobile setups.

Cable Displayport - Mini-Displayport 1m White in short:

- Connects Mini DisplayPort outputs to DisplayPort inputs, ideal for laptops to external monitors.
- Supports DisplayPort 1.2 and 4Kx2K at 60Hz, suitable for high-resolution video and detailed visuals.
- Multi-Stream Transport (MST) compatible for daisy-chaining multiple displays.
- Gold-plated contacts, aluminium foil plus braid shielding, and tinned copper conductors for consistent signal quality.
- 1 m white PVC-jacketed cable with a slim 4.8 mm diameter, practical for neat desk layouts, note that HDR is not supported.

Product details

The Prokord Cable Displayport - Mini-Displayport 1m White is a straight male-to-male connection built for everyday AV use. It carries protected content via HDCP and supports multi-monitor setups through MST, making it useful for meetings, visual design and extended desktop work. The gold-plated contacts and dual-layer shielding reduce interference, while the flexible PVC jacket and thin 32AWG construction keep the cable easy to route and store.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	1 m
Connector 1	DisplayPort
Connector 1 gender	Male
Connector 1 form factor	Straight
Connector 2	Mini DisplayPort
Connector 2 gender	Male
Connector 2 form factor	Straight
Product colour	White

Maximum resolution	4Kx2K pixels
Connector contacts plating	Gold plated
DisplayPort version	1.2
Cable material	Tinned copper
Maximum refresh rate	60 Hz
HDCP	Yes
Data transfer rate	5.4 Gbit/s
Cable shielding	Aluminium foil + braid
Jacket material	PVC
AWG wire size	32AWG
High Dynamic Range (HDR) supported	No
Multi-Stream Transport (MST)	Yes

Packaging data

Cable diameter	4.8 mm
Weight	60 g

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------