



Cirafon DMA-020

Data sheet

Core Specs

Cable length	1.3 m
Connector 1	Micro USB-B
Connector 2	USB-A
Product colour	Black
USB version	USB 2.0
USB Power Delivery up to	2.5 W

Summary

- ✓ 1.3 m length gives flexible reach for desk, car, or mobile use.
- ✓ USB 2.0 sync up to 480 Mbit/s enables fast file and media transfers.
- ✓ Nickel-plated contacts and PVC jacket ensure durable, reliable connections.
- ✓ Plug-and-play straight connectors work with USB-A and micro USB ports.
- ✓ Limited to 5V 0.5A (2.5W), it does not support fast charging.

Product description

Why choose this cable?

Sync/Charge Cable Micro USB 1.3m - Black, Cirafon provides a straightforward way to charge and sync devices that use micro USB. It balances everyday performance and durability while keeping costs low, and the 1.3 m length gives convenient reach for desktop and mobile use.

Sync/Charge Cable Micro USB 1.3m - Black in short:

- Use to charge and transfer data between micro USB-B devices and USB-A ports, for example older smartphones, tablets, cameras, and portable speakers.
- USB 2.0 data transfer up to 480 Mbit/s, suitable for syncing files, contacts, and media.
- Durable PVC jacket with nickel-plated contacts and plugs for consistent connections and wear resistance.
- Plug-and-play with straight male-to-male connectors, sold as a single cable.
- Note: does not support USB Power Delivery and is limited to 5 V / 0.5 A (2.5 W), so it is not suitable for fast charging.

Product details

The Cirafon Sync/Charge Cable Micro USB 1.3m - Black has a micro USB-B male connector on one end and a USB-A male connector on the other, both in a straight form for standard ports. The cable's PVC jacket and nickel-plated contacts help resist daily wear while maintaining signal integrity. It works without drivers and the 1.3 metre length gives flexibility at a desk, in a vehicle, or on the move. The cable supports USB 2.0 data speeds and basic device charging at 5 V / 0.5 A, so it is best suited for syncing and low-power charging rather than fast-charge applications.

Technical Specification Matrix

Header

Manufacturer	Cirafon
--------------	---------

Features

Max data transfer rate	480 Mbit/s
Cable length	1.3 m
USB version	USB 2.0
Connector 1	Micro USB-B
Connector 1 gender	Male
Connector 1 form factor	Straight
Connector 2	USB-A
Connector 2 gender	Male

Connector 2 form factor	Straight
USB Power Delivery	No
USB Power Delivery up to	2.5 W
Product colour	Black
Cable jacket material	PVC
Connector contacts plating	Nickel plating
Cable shielding	Nickel plating
Reversible connectors	No
Plug and Play	Yes

Power

Input voltage	5 V
Input current (max)	0.5 A

Packaging data

Quantity per pack	1 pc(s)
-------------------	----------------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	-----------------