



Prokord DP2HDMI2MM-1m

Data sheet

Core Specs

Cable length	1 m
Connector 1	DisplayPort
Connector 2	HDMI
Product colour	Black
HDMI version	1.4
DisplayPort version	1.2

Summary

- ✓ DP1.2 to HDMI1.4 compatibility, works with many devices and displays
- ✓ Supports up to 4K at 30Hz, suitable for presentations and media
- ✓ Gold plated contacts boost conductivity and resist corrosion
- ✓ Aluminium foil plus braid shielding reduces interference in busy setups
- ✓ Slim 1m PVC jacketed cable stays tidy on desktops, fits tight spaces

Product description

Why choose this DisplayPort to HDMI cable?

Prokord Displayport to HDMI 1m White - Gold plated gives you a straightforward way to connect DisplayPort sources to HDMI displays. It supports DP1.2 to HDMI 1.4 conversion for up to 4K at 30Hz, offers HDCP compatibility for protected content, and combines durable construction with a compact 1m length for neat desktop and meeting-room setups.

Prokord Displayport to HDMI 1m White - Gold plated in short:

- Connects DisplayPort-equipped PCs and laptops to HDMI monitors, projectors, and TVs for presentations and media playback.
- Supports resolutions up to 4K at 30Hz, suitable for slideshows, video content, and general office use.
- Gold plated contacts with aluminium foil and braid shielding reduce corrosion and interference for a stable signal.
- Slim, 7.3 mm cable with a PVC jacket keeps desk areas tidy and resists everyday wear.
- Note: 30Hz maximum refresh rate and no HDR support may not meet needs for high-frame-rate or HDR workflows.

Practical details

The cable features male-to-male straight DisplayPort and HDMI connectors for a plug-and-play experience. Tinned copper conductors and 28AWG wiring maintain consistent data transfer, while HDCP support ensures compatibility with protected sources. The gold plated contacts help preserve conductivity over time, and the robust shielding keeps interference low in multi-device environments.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	1 m
Connector 1	DisplayPort
Connector 1 gender	Male
Connector 1 form factor	Straight
Connector 2	HDMI
Connector 2 gender	Male
Connector 2 form factor	Straight
Product colour	Black

HDMI version	1.4
DisplayPort version	1.2
Connector contacts plating	Gold plated
HDCP	Yes
Refresh rate at maximum resolution	30 Hz
Colour depth	12 bit
Maximum resolution	4Kx2K pixels
High Dynamic Range (HDR) supported	No
Maximum refresh rate	30 Hz
Cable material	Tinned copper
Cable shielding	Aluminium foil + braid
Jacket material	PVC
AWG wire size	28AWG
Data transfer rate	3 Gbit/s

Weight & dimensions

Cable diameter	7.3 mm
Weight	93 g

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------

Other features

Supported resolutions	Up to 4Kx2K
Connector type	DP to HDMI

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------