



Prokord DPD12-0.5M

Data sheet

Core Specs

Cable length	0.5 m
Connector 1	DisplayPort
Connector 2	DVI
Product colour	Black
HDMI version	N/A
DisplayPort version	1.2

Summary

- ✓ Short 0.5m cable keeps desktop setups tidy and reduces cable clutter
- ✓ Converts DisplayPort to DVI-D Single Link, supports 1920x1200 @60Hz
- ✓ HDCP support ensures reliable playback of protected video and presentations
- ✓ Gold plated contacts with aluminium foil and braid reduce signal interference
- ✓ PVC jacket and tinned copper conductors provide durable daily use

Product description

Why choose this cable?

Prokord Cable Displayport - DVI-D Single Link 0.5m Black gives a short, reliable link between DisplayPort outputs and DVI-D displays. It supports up to 1920x1200 at 60 Hz with HDCP, so you can play protected video and run common monitor resolutions without extra adapters. The compact length reduces desk clutter and the shielded construction helps keep the signal stable.

Cable Displayport - DVI-D Single Link 0.5m Black in short:

- Converts a DisplayPort output to a DVI-D single-link input, useful for connecting modern PCs to legacy monitors or projectors.
- Supports DisplayPort 1.2 with HBR2 and a maximum resolution of 1920x1200 at 60 Hz.
- Gold-plated contacts, tinned copper conductors, and aluminium-foil plus braid shielding for consistent signal quality.
- 0.5 m length keeps desktop setups tidy and avoids excess cable.
- Note: single-link DVI limits higher resolutions and HDR is not supported.

Product details

This 0.5 m DisplayPort-to-DVI cable is a passive, single-link solution for short-range video connections. It carries a 2.7 Gbit/s data rate and 12-bit colour depth to match many office displays and presentation equipment. The jacket is PVC for flexibility and durability, while the 28 AWG tinned copper cores and gold-plated contacts reduce corrosion and contact resistance. HDCP support ensures playback of protected content, and the compact 7.3 mm diameter cable is easy to route around desks and AV racks.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	0.5 m
Connector 1	DisplayPort
Connector 1 gender	Male
Connector 1 form factor	Straight
Connector 2	DVI
Connector 2 gender	Male
Connector 2 form factor	Straight
Product colour	Black

HDMI version	N/A
DisplayPort version	1.2
Connector contacts plating	Gold plated
HDCP	Yes
Refresh rate at maximum resolution	60 Hz
Colour depth	12 bit
Maximum resolution	1920x1200 pixels
High Dynamic Range (HDR) supported	No
HBR2 support	Yes
Maximum refresh rate	60 Hz
Cable material	Tinned copper
Cable shielding	Aluminium foil + braid
Jacket material	PVC
AWG wire size	28AWG
Data transfer rate	2.7 Gbit/s

Weight & dimensions

Cable diameter	7.3 mm
Weight	100 g

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------

Other features

Connector(s)	DisplayPort, DVI
Supported resolutions	Up to 1920x1200
Material	Tinned copper
Connector type	DP to DVI

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------