



Prokord DPD12-2M

Data sheet

Core Specs

Cable length	2 m
Connector 1	DisplayPort
Connector 2	DVI
Product colour	Black
HDMI version	N/A
DisplayPort version	1.2

Summary

- ✓ Connect DisplayPort PCs to DVI monitors and projectors over 2m
- ✓ Supports 1920x1200 at 60Hz for crisp office graphics and presentations
- ✓ HDCP compatible, so protected video plays without manual workarounds
- ✓ Aluminium foil and braid shielding reduce interference for stable output
- ✓ Gold plated contacts and PVC jacket ensure durable, neat cable routing

Product description

Why choose this cable?

Prokord Cable Displayport - DVI-D Single Link 2m Black provides a straightforward, reliable link between DisplayPort-equipped sources and DVI displays. The 2 m length and durable PVC jacket make routing easy, while gold plated contacts and combined aluminium foil and braid shielding help maintain signal quality for everyday office, classroom, and meeting-room use.

Prokord Cable Displayport - DVI-D Single Link 2m Black in short:

- Connects a DisplayPort output to a DVI-D input, suitable for monitors and projectors that accept DVI.
- Supports up to 1920x1200 at 60 Hz, appropriate for productivity, presentations, and video playback.
- DisplayPort 1.2 compatibility, gold plated contacts, and tinned copper conductors for consistent connections.
- Aluminium foil plus braid shielding and a PVC jacket reduce interference and improve durability.
- Note: single-link DVI limits resolution and refresh rate; not suitable for HDR or high-frame-rate gaming.

About the cable

This Prokord cable delivers a reliable DisplayPort to DVI-D connection in a compact, easy-to-install form. It uses 28 AWG tinned copper conductors and gold plated connector contacts to resist corrosion and keep contact resistance low. The combined aluminium foil and braid shielding helps protect against electromagnetic interference, while the slim 7.3 mm diameter and 2 m length make it simple to route in tight workspaces. HDCP support ensures protected content plays correctly on compatible displays.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	2 m
Connector 1	DisplayPort
Connector 1 gender	Male
Connector 1 form factor	Straight
Connector 2	DVI
Connector 2 gender	Male
Connector 2 form factor	Straight
Product colour	Black
HDMI version	N/A

DisplayPort version	1.2
Connector contacts plating	Gold plated
HDCP	Yes
Refresh rate at maximum resolution	60 Hz
Colour depth	12 bit
Maximum resolution	1920x1200 pixels
High Dynamic Range (HDR) supported	No
Maximum refresh rate	60 Hz
Cable material	Tinned copper
Cable shielding	Aluminium foil + braid
Jacket material	PVC
AWG wire size	28AWG
Data transfer rate	2.7 Gbit/s

Weight & dimensions

Cable diameter	7.3 mm
Weight	195 g

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------

Other features

Connector(s)	DisplayPort, DVI
Supported resolutions	Up to 1920x1200
Material	Tinned copper

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------