



Prokord DPD12-3M

Data sheet

Core Specs

Cable length	3 m
Connector 1	DisplayPort
Connector 2	DVI
Product colour	Black
HDMI version	N/A
DisplayPort version	1.2

Summary

- ✓ 3m cable links DisplayPort sources to DVI displays
- ✓ Supports 1920x1200 at 60Hz for clear, stable office visuals
- ✓ Gold-plated contacts and 28AWG core reduce signal loss
- ✓ Aluminium foil and braid shielding reduces interference in busy setups
- ✓ DisplayPort 1.2 with HDCP support ensures consistent protected playback

Product description

Why choose this cable?

Prokord Cable Displayport - DVI-D Single Link 3m Black provides a straightforward way to connect DisplayPort-equipped sources to DVI displays, with HDCP support and gold-plated contacts for reliable signal transfer. The 3 m length and reinforced PVC jacket with dual shielding help maintain stable visuals up to 1920x1200 at 60 Hz in office and presentation environments.

Prokord Cable Displayport - DVI-D Single Link 3m Black in short:

- Connects DisplayPort outputs to single-link DVI-D displays, useful for desktop monitors and projector setups.
- 3 m length gives flexibility for tidy desk layouts and small meeting rooms.
- HDCP support and gold-plated contacts help deliver protected, consistent video playback.
- Robust build with PVC jacket and aluminium foil plus braid shielding reduces interference and wear.
- Note: single-link DVI-D limits resolution to 1920x1200 at 60 Hz, not suitable for dual-link or higher-resolution displays.

Product details

The Prokord Cable Displayport - DVI-D Single Link 3m Black converts a DisplayPort signal to a DVI-D single-link connection so you can use older DVI displays with modern sources. It uses 28AWG tinned copper conductors, gold-plated connector contacts, and dual-layer shielding to keep the signal stable at a 2.7 Gbit/s transfer rate. The straight male connectors and 7.3 mm diameter cable make installation simple and keep setups neat in professional spaces.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	3 m
Connector 1	DisplayPort
Connector 1 gender	Male
Connector 1 form factor	Straight
Connector 2	DVI
Connector 2 gender	Male
Connector 2 form factor	Straight
Product colour	Black
HDMI version	N/A

DisplayPort version	1.2
Connector contacts plating	Gold plated
HDCP	Yes
Refresh rate at maximum resolution	60 Hz
Colour depth	12 bit
Maximum resolution	1920x1200 pixels
High Dynamic Range (HDR) supported	No
HBR2 support	Yes
Maximum refresh rate	60 Hz
Cable material	Tinned copper
Cable shielding	Aluminium foil + braid
Jacket material	PVC
AWG wire size	28AWG
Data transfer rate	2.7 Gbit/s

Weight & dimensions

Cable diameter	7.3 mm
Weight	248 g

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------

Other features

Supported resolutions	Up to 1920x1200
Material	Tinned copper

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------