



Prokord DPD12-5M

Data sheet

Core Specs

Cable length	5 m
Connector 1	DisplayPort
Connector 2	DVI
Product colour	Black
HDMI version	N/A
DisplayPort version	1.2

Summary

- ✓ Connect DisplayPort devices to DVI displays over 5m
- ✓ Supports up to 1920x1200 at 60Hz for crisp, stable images
- ✓ Gold plated contacts and tinned copper preserve signal quality
- ✓ Aluminium foil and braid shielding reduce interference in busy environments
- ✓ Straight male connectors and PVC jacket make installation simple

Product description

Why choose this cable?

Prokord Cable Displayport - DVI-D Single Link 5m Black gives you a straightforward way to link DisplayPort outputs to DVI monitors with a reliable 5 m reach. It supports up to 1920x1200 at 60 Hz, includes HDCP support, and combines gold-plated contacts with robust shielding and a PVC jacket for steady, day-to-day performance.

Prokord Cable Displayport - DVI-D Single Link 5m Black in short:

- Connects DisplayPort source to DVI-D displays, useful for legacy monitors and projectors.
- Supports resolutions up to 1920x1200 at 60 Hz and HDCP-protected content.
- 5 m length with aluminium foil and braid shielding for reduced interference.
- Gold-plated contacts and tinned copper conductors for stable connections and corrosion resistance.
- Note: Single-link DVI only, not suitable for higher-than-1920x1200 resolutions or HDR, and not directly compatible with HDMI devices.

Prokord Cable Displayport - DVI-D Single Link 5m Black

Use this cable when you need a dependable connection from a DisplayPort-equipped laptop, desktop, or workstation to a DVI-D monitor or projector. The single-link DVI interface covers standard HD and widescreen work such as office applications, presentations, and general multimedia without added complexity. Its straight connectors and sturdy PVC jacket make routing and installation simple, while the shielding and quality contacts help maintain a clear image over the full 5 m length.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	5 m
Connector 1	DisplayPort
Connector 1 gender	Male
Connector 1 form factor	Straight
Connector 2	DVI
Connector 2 gender	Male
Connector 2 form factor	Straight
Product colour	Black
HDMI version	N/A

DisplayPort version	1.2
Connector contacts plating	Gold plated
HDCP	Yes
Refresh rate at maximum resolution	60 Hz
Colour depth	12 bit
Maximum resolution	1920x1200 pixels
High Dynamic Range (HDR) supported	No
Maximum refresh rate	60 Hz
Cable material	Tinned copper
Cable shielding	Aluminium foil + braid
Jacket material	PVC
AWG wire size	28AWG
Data transfer rate	2.7 Gbit/s

Weight & dimensions

Cable diameter	4.5 mm
Weight	405 g

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------

Other features

Material	Tinned copper
Connector(s)	DisplayPort, DVI
Supported resolutions	Up to 1920x1200
Connector type	DP to DVI

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------