



Prokord DPH12-1M

Data sheet

Core Specs

Cable length	1 m
Connector 1	DisplayPort
Connector 2	HDMI
Product colour	Black
HDMI version	1.4
DisplayPort version	1.2

Summary

- ✓ Connect DisplayPort sources to HDMI displays with a 1m cable
- ✓ Supports 4Kx2K and 12bit colour for sharper, richer images
- ✓ Gold plated contacts and tinned copper conductors ensure stable signal
- ✓ Aluminium foil plus braid shielding reduces interference and noise
- ✓ HDCP with DP 1.2 to HDMI 1.4 lets you play protected content

Product description

Why choose this cable?

Prokord Cable DisplayPort - HDMI 1m Black gives you a straightforward way to connect a DisplayPort output to an HDMI screen. It supports up to 4Kx2K resolution and HDCP protected content, while gold-plated contacts and braided shielding help maintain a stable signal in everyday office and meeting-room setups.

Cable Displayport - HDMI 1m Black in short:

- Connects a DisplayPort source to an HDMI display, useful for monitors, projectors, and TVs.
- Supports DisplayPort 1.2 and HDMI 1.4, with resolution support up to 4Kx2K.
- HDCP compatible for playback of protected media.
- Tinned copper conductor, aluminium foil plus braid shielding, and gold-plated contacts for reliable signal integrity.
- Note: HDR is not supported, so choose differently if HDR playback is required.

About this cable

The Prokord Cable DisplayPort - HDMI 1m Black is a 1 metre, straight male-to-male cable designed for short-distance connections at desks and in meeting rooms. The PVC jacket and 7.3 mm diameter keep the cable flexible and durable, while 28AWG wiring and HBR2 support deliver stable video performance. Its black finish blends into typical AV setups and the single-piece pack makes installation and replacement simple.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	1 m
Connector 1	DisplayPort
Connector 1 gender	Male
Connector 1 form factor	Straight
Connector 2	HDMI
Connector 2 gender	Male
Connector 2 form factor	Straight
Product colour	Black
HDMI version	1.4
DisplayPort version	1.2

Connector contacts plating	Gold plated
HDCP	Yes
Colour depth	12 bit
Maximum resolution	4Kx2K pixels
High Dynamic Range (HDR) supported	No
HBR2 support	Yes
Cable material	Tinned copper
Cable shielding	Aluminium foil + braid
Jacket material	PVC
AWG wire size	28AWG
Data transfer rate	3 Gbit/s

Weight & dimensions

Weight	86 g
Cable diameter	7.3 mm

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------

Other features

Connector(s)	DisplayPort, HDMI
Supported resolutions	4Kx2K
Material	Tinned copper

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------