



Prokord DP-MDP 0040

Data sheet

Core Specs

Cable length	1 m
Connector 1	DisplayPort
Connector 2	Mini DisplayPort
Product colour	Black
DisplayPort version	1.2

Summary

- ✓ Reliable 1m DP to mini DP cable delivers 4Kx2K at 60Hz
- ✓ DisplayPort 1.2 with MST and HDCP lets you daisy chain and secure content
- ✓ Gold plated contacts and foil plus braid shielding improve signal quality
- ✓ Durable PVC jacket with tinned copper conductors resists wear and corrosion
- ✓ Slim 4.8mm cable and 32AWG wiring keep setups tidy without bulk

Product description

Why choose this cable?

Prokord Cable DisplayPort - Mini-DisplayPort 1m Black is a 1 metre DisplayPort 1.2 to Mini DisplayPort cable that links laptops, docking stations and graphics cards to external displays. It delivers reliable 4K video at 60Hz, supports multi-monitor setups, and keeps cable runs neat and durable for everyday office and meeting-room use.

Cable DisplayPort - Mini-DisplayPort 1m Black in short:

- Connects Mini DisplayPort sources to DisplayPort monitors, projectors or docking stations for high-resolution video.
- Supports 4Kx2K at 60Hz and Multi-Stream Transport for daisy-chaining multiple displays.
- HDCP compliant for playback of protected content.
- Gold-plated contacts and aluminium foil plus braid shielding for consistent signal quality and reduced interference.
- Note that High Dynamic Range is not supported, so HDR content will not be passed through.

Product details

The Prokord Cable DisplayPort - Mini-DisplayPort 1m Black is built for desk and meeting-room setups where a short, reliable video link is needed. It uses tinned copper conductors and a PVC jacket for durability, while the slim cable profile helps with tidy routing. Straight male DisplayPort and Mini DisplayPort connectors make it easy to connect modern laptops and graphics cards to external screens. The combination of DisplayPort 1.2 bandwidth, MST support and HDCP compliance makes it suitable for multi-display productivity and standard 4K video workflows.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	1 m
Connector 1	DisplayPort
Connector 1 gender	Male
Connector 1 form factor	Straight
Connector 2	Mini DisplayPort
Connector 2 gender	Male
Connector 2 form factor	Straight
Product colour	Black

Maximum resolution	4Kx2K pixels
Connector contacts plating	Gold plated
DisplayPort version	1.2
Cable material	Tinned copper
Maximum refresh rate	60 Hz
HDCP	Yes
Data transfer rate	5.4 Gbit/s
Cable shielding	Aluminium foil + braid
Jacket material	PVC
AWG wire size	32AWG
High Dynamic Range (HDR) supported	No
Multi-Stream Transport (MST)	Yes

Packaging data

Cable diameter	4.8 mm
Weight	60 g

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------