



Prokord DP-MDP 0042

Data sheet

Core Specs

Cable length	2 m
Connector 1	DisplayPort
Connector 2	Mini DisplayPort
Product colour	Black
DisplayPort version	1.2

Summary

- ✓ Supports 4Kx2K at 60Hz for crisp video and smooth presentations
- ✓ DisplayPort 1.2 delivers 5.4Gbit/s bandwidth for high res content
- ✓ MST support enables daisy chaining for expanded desktop setups
- ✓ Gold plated contacts with foil and braid shielding keep signal stable
- ✓ 2m PVC jacket and tinned copper conductors balance flexibility and strength

Product description

Why choose this DisplayPort cable?

Prokord Cable Displayport - Mini-Displayport 2m Black delivers reliable 4K video at up to 60 Hz while keeping installation simple and tidy. It combines durable connectors and shielding to reduce interference and wear, so you get consistent image quality for meetings, presentations, and multi-monitor work without frequent cable replacements.

Prokord Cable Displayport - Mini-Displayport 2m Black in short:

- Connects Mini DisplayPort devices to DisplayPort monitors, projectors, and docking stations.
- Supports DisplayPort 1.2 video up to 4K x 2K at 60 Hz, suitable for video playback and screen sharing.
- Gold-plated contacts, tinned copper conductors, and aluminium foil plus braid shielding for stable signal and corrosion resistance.
- Supports Multi-Stream Transport and HDCP for multi-monitor setups and protected content.
- Note: HDR is not supported, so select another cable if HDR content is required.

Prokord Cable Displayport - Mini-Displayport 2m Black

This 2 m male-to-male cable links Mini DisplayPort outputs to full-size DisplayPort inputs while keeping a low-profile and flexible routing thanks to its slim PVC-jacketed construction. DisplayPort 1.2 support enables 4K at 60 Hz and MST for chaining additional displays. Gold-plated contacts and combined foil and braid shielding help maintain signal integrity in office and meeting-room environments, and HDCP compatibility ensures playback of protected content.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	2 m
Connector 1	DisplayPort
Connector 1 gender	Male
Connector 1 form factor	Straight
Connector 2	Mini DisplayPort
Connector 2 gender	Male
Connector 2 form factor	Straight
Product colour	Black
Maximum resolution	4Kx2K pixels
Connector contacts plating	Gold plated

DisplayPort version	1.2
Cable material	Tinned copper
Maximum refresh rate	60 Hz
HDCP	Yes
Data transfer rate	5.4 Gbit/s
Cable shielding	Aluminium foil + braid
Jacket material	PVC
AWG wire size	32AWG
Bandwidth	5.4 MB/s
High Dynamic Range (HDR) supported	No
Multi-Stream Transport (MST)	Yes

Packaging data

Weight	89 g
Cable diameter	4.8 mm

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------