



Prokord DP-MDP 0045

Data sheet

Core Specs

Cable length	5 m
Connector 1	DisplayPort
Connector 2	Mini DisplayPort
Product colour	Black
DisplayPort version	1.1

Summary

- ✓ 5m cable gives flexible placement for desks, workstations and AV racks
- ✓ Delivers 1080p at 60Hz for smooth, full HD video
- ✓ DisplayPort 1.1 and HDCP support provide protected playback
- ✓ MST support makes multi-monitor setups and daisy chaining easy
- ✓ Gold-plated contacts with foil and braid shielding keep signals reliable

Product description

Why choose this cable?

Cable Displayport - Mini-Displayport 5m Black Prokord gives you a dependable wired connection between DisplayPort and Mini DisplayPort devices. At 5 m it lets you place a monitor or projector further from the source while keeping a stable 1080p, 60 Hz picture. The PVC jacket, foil and braid shielding, and gold plated contacts help maintain signal integrity and resist corrosion.

Cable Displayport - Mini-Displayport 5m Black in short:

- 5 m length suitable for desks, conference rooms, and AV setups where extra reach is needed.
- Connects DisplayPort sources to Mini DisplayPort inputs on laptops, docking stations, and monitors.
- Supports DisplayPort 1.1 with HDCP and MST, allowing protected content playback and multi-monitor chaining at 1080p, 60 Hz.
- Robust construction with tinned copper conductors, aluminium foil plus braid shielding, PVC jacket, and gold plated contacts for reliable connections.
- Note: DisplayPort 1.1 bandwidth (2.7 Gbit/s) limits this cable to 1080p and it does not support HDR or 4K at 60 Hz.

Product details

Cable Displayport - Mini-Displayport 5m Black is designed to be a straightforward, workmanlike link for video distribution and presentations. You can use it to extend displays, connect a laptop to an external monitor, or add a screen to a docking station. The cable shielding and solid conductor materials reduce interference in office environments, and the straight, gold plated male connectors provide a secure fit. The 4.8 mm diameter and 177 g weight keep the cable flexible and easy to route.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	5 m
Connector 1	DisplayPort
Connector 1 gender	Male
Connector 1 form factor	Straight
Connector 2	Mini DisplayPort
Connector 2 gender	Male
Connector 2 form factor	Straight

Product colour	Black
Maximum resolution	1080P pixels
Connector contacts plating	Gold plated
DisplayPort version	1.1
Cable material	Tinned copper
Maximum refresh rate	60 Hz
HDCP	Yes
Data transfer rate	2.7 Gbit/s
Cable shielding	Aluminium foil + braid
Jacket material	PVC
AWG wire size	32AWG
High Dynamic Range (HDR) supported	No
Multi-Stream Transport (MST)	Yes

Packaging data

Cable diameter	4.8 mm
Weight	177 g

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------