

Cable DVI-I - DVI-I Dual Link 2m Black2m DVI DVI Black

Data sheet

Summary

- ✓ Dual-link DVI for higher resolutions and consistent refresh rates, suitable for monitors, projectors, and graphics outputs.
- ✓ Gold-plated straight male DVI-I connectors and ferrite cores reduce signal loss and interference in busy AV environments.
- ✓ Tinned copper conductors with foil-and-braid shielding improve stability over longer runs and near electronic noise sources.
- ✓ Compact 9mm diameter and 30AWG construction keep the cable flexible for routed or under-desk installations.
- ✓ Note: fixed 2m length may require additional cabling or management for extended setups.

Product description

Why choose this cable?

Prokord Cable DVI-I - DVI-I Dual Link 2m Black delivers a stable dual-link DVI connection for clearer, higher-resolution video between computers and displays. Gold-plated contacts, ferrite noise suppressors, and combined shielding help preserve signal quality. The 2m length and black PVC jacket give a durable and discreet cable that suits desk, AV, and signage installations.

Cable DVI-I - DVI-I Dual Link 2m Black in short:

- Dual-link DVI for higher resolutions and consistent refresh rates, suitable for monitors, projectors, and graphics outputs.
- Gold-plated straight male DVI-I connectors and ferrite cores reduce signal loss and interference in busy AV environments.
- Tinned copper conductors with foil-and-braid shielding improve stability over longer runs and near electronic noise sources.
- Compact 9mm diameter and 30AWG construction keep the cable flexible for routed or under-desk installations.
- Note: fixed 2m length may require additional cabling or management for extended setups.

Product details

The Prokord Cable DVI-I - DVI-I Dual Link 2m Black carries digital video between DVI-compatible devices using dual-link signalling to support higher resolutions and stable refresh rates. Both ends feature straight male DVI-I connectors for simple plug-and-play connection. Gold-plated contacts, ferrite noise suppressors, tinned copper conductors and foil-and-braid shielding work together to reduce signal degradation and external interference. A PVC jacket and compact diameter help the cable remain durable yet flexible for routed installations.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	2 m
Connector 1	DVI
Connector 1 gender	Male
Connector 1 form factor	Straight
Connector 2	DVI
Connector 2 gender	Male
Connector 2 form factor	Straight

Product colour	Black
HDCP	No
Cable material	Tinned copper
Dual Link DVI	Yes
AWG wire size	30AWG
Connector contacts plating	Gold plated
Cable jacket material	PVC
Quantity per pack	1 pc(s)

Weight & dimensions

Cable diameter	9 mm
Weight	338 g
Package weight	338 g

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------