

Cable DVI-D - DVI-D Dual Link 5m Black5m DVI DVI Black

Data sheet

Summary

- ✓ 5 m length for flexible placement of displays and equipment across rooms or racks.
- ✓ Dual link DVI supports higher bandwidth needed for high-resolution monitors and graphics work.
- ✓ Gold-plated contacts and tinned copper conductors improve conductivity and resist corrosion.
- ✓ Ferrite cores with foil and braid shielding reduce electromagnetic interference for stable signals.
- ✓ Note: This is a digital DVI-D cable only and will not carry analog VGA signals; straight connectors may be tight in constrained spaces.

Product description

Why choose this DVI-D cable?

Prokord Cable DVI-D - DVI-D Dual Link 5m Black gives reliable high-definition video connectivity over a 5 meter run. Its dual link capability and gold-plated contacts maintain signal integrity for high-resolution displays. Ferrite cores and braided plus foil shielding reduce interference, while straight male-to-male DVI-D connectors ensure secure, durable connections in professional AV and IT installations.

Cable DVI-D - DVI-D Dual Link 5m Black in short:

- 5 m length for flexible placement of displays and equipment across rooms or racks.
- Dual link DVI supports higher bandwidth needed for high-resolution monitors and graphics work.
- Gold-plated contacts and tinned copper conductors improve conductivity and resist corrosion.
- Ferrite cores with foil and braid shielding reduce electromagnetic interference for stable signals.
- Note: This is a digital DVI-D cable only and will not carry analog VGA signals; straight connectors may be tight in constrained spaces.

Product details

This DVI-D cable connects two DVI-D ports with straight, male-to-male plugs that lock firmly in place. The dual link design helps preserve image quality on demanding displays, while the combination of tinned copper conductors, gold plating, and robust PVC jacket delivers a durable cable suited to repeated installations. Ferrite cores visible on the cable provide additional suppression of high-frequency noise, helping you maintain consistent video performance in mixed equipment environments. The cable is supplied as a single unit, ready for immediate installation.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	5 m
Connector 1	DVI
Connector 1 gender	Male
Connector 1 form factor	Straight
Connector 2	DVI
Connector 2 gender	Male
Connector 2 form factor	Straight
Product colour	Black

HDCP	No
Cable material	Tinned copper
Dual Link DVI	Yes
AWG wire size	28AWG
Connector contacts plating	Gold plated
Cable jacket material	PVC
Quantity per pack	1 pc(s)

Weight & dimensions

Cable diameter	8.5 mm
Weight	520 g
Package weight	520 g

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------