



Bulk cableNo Cat 6 100m Grey

Data sheet

Summary

- ✓ Cat 6 F/UTP bulk cable on a 100 m wooden drum, suited for structured cabling in offices and data rooms.
- ✓ Four twisted pairs (4x2) with AWG 26 copper conductors, providing consistent PoE power and signal integrity up to 100 m.
- ✓ LSZH grey jacket reduces smoke and toxic emissions, improving safety for indoor environments.
- ✓ Supports high-bandwidth links and AV streams with up to 10 000 Mbit/s at 250 MHz.
- ✓ Not rated for direct burial or prolonged outdoor exposure; requires RJ-45 connectors and proper crimping for full Cat 6 compliance.

Product description

Why choose this cable?

Prokord Bulk cable is a 100 m Cat 6 F/UTP bulk cable that delivers up to 10 000 Mbit/s at 250 MHz. It pairs AWG 26 copper conductors with an LSZH jacket to support stable PoE delivery while reducing smoke and toxic gases in indoor installations.

Prokord Bulk cable in short:

- Cat 6 F/UTP bulk cable on a 100 m wooden drum, suited for structured cabling in offices and data rooms.
- Four twisted pairs (4x2) with AWG 26 copper conductors, providing consistent PoE power and signal integrity up to 100 m.
- LSZH grey jacket reduces smoke and toxic emissions, improving safety for indoor environments.
- Supports high-bandwidth links and AV streams with up to 10 000 Mbit/s at 250 MHz.
- Not rated for direct burial or prolonged outdoor exposure; requires RJ-45 connectors and proper crimping for full Cat 6 compliance.

Product details

Prokord Bulk cable comes on a wooden drum to keep the run tangle-free and simplify deployment. The foil-shielded F/UTP construction reduces crosstalk in crowded cable trays, helping preserve link quality in dense installations. The grey LSZH jacket and copper conductors provide a balance of flexibility, safety, and reliable PoE support for commercial and AV cabling projects.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	100 m
Cable standard	Cat 6
Cable shielding	F/UTP (FTP)
Connector 1	No
Connector 1 gender	No
Connector 2	No
Connector 2 gender	No
Product colour	Grey
Jacket material	LSZH

Twisted pair coupling type	4x2
Conductor material	Copper
AWG wire size	26
Data transfer rate	10000 Mbit/s
Frequency	250 MHz
Power over Ethernet (PoE)	Yes

Packaging data

Quantity per pack	1 pc(s)
Package type	Wooden drum

Other features

Quantity of wires	8
-------------------	---

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------