

Prokord F/UTP-0044

Data sheet

Core Specs

Connector 1	RJ-45
Connector 2	RJ-45
Cable standard	Cat 6
Cable shielding	F/UTP (FTP)
Cable length	2 m
Jacket material	LSZH

Summary

- ✓ 10 Gbit/s Cat6, 250 MHz bandwidth for fast data transfers
- ✓ F/UTP shielding reduces EMI for stable links in noisy sites
- ✓ Shielded metal RJ45 plugs ensure secure, low-loss connections
- ✓ LSZH jacket limits smoke and toxic gases, safer for enclosed areas
- ✓ Supports PoE with AWG26 copper conductors, powers endpoints reliably

Product description

Why choose this Ethernet cable?

Prokord TP-Cable F/UTP CAT.6 Shielded LSZH RJ45 2m White gives you a compact, shielded patch lead for reliable local connections. It reduces interference in electrically noisy environments and uses a low-smoke zero-halogen jacket for safer installations. The two metre length keeps work areas tidy while supporting high-speed links and Power over Ethernet for networked devices.

TP-Cable F/UTP CAT.6 Shielded Lszh RJ45 2m White in short:

- Shielded F/UTP construction helps reduce electromagnetic interference, useful near power equipment or dense cabling.
- Low smoke zero halogen jacket lowers toxic emissions, suitable for office floors, cabinets and public spaces.
- Two metre patch length is ideal for connecting wall outlets to switches, routers, or access points without excess cable.
- Supports up to 10 Gbit/s and 250 MHz, and carries PoE for cameras, phones and wireless access points.
- Male RJ45 to RJ45 with copper 26 AWG conductors for consistent contact and signal transfer.

Product details

This Prokord TP-Cable F/UTP CAT.6 Shielded LSZH RJ45 2m White is a straightforward Cat6 patch cable for short runs between network equipment. The foil-shielded inner pairs reduce interference, and the RJ45 plugs fit standard ports on switches, routers and patch panels. The LSZH jacket improves safety in confined spaces. Use this cable when you need a durable, shielded connection that supports high data rates and Power over Ethernet.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	2 m
Cable standard	Cat 6
Cable shielding	F/UTP (FTP)
Connector 1	RJ-45
Connector 1 gender	Male
Connector 2	RJ-45
Connector 2 gender	Male
Product colour	White

Jacket material	LSZH
Conductor material	Copper
Data transfer rate	10000 Mbit/s
AWG wire size	26
Frequency	250 MHz
Power over Ethernet (PoE)	Yes

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------