



Prokord F/UTP-0050

Data sheet

Core Specs

Connector 1	RJ-45
Connector 2	RJ-45
Cable standard	Cat 6
Cable shielding	F/UTP (FTP)
Cable length	3 m
Jacket material	LSZH

Summary

- ✓ 10Gbit/s Cat6 rating delivers fast, reliable network performance
- ✓ F/UTP shield reduces EMI for stable links in dense cabling
- ✓ LSZH jacket limits smoke and halogens, safe for shared spaces
- ✓ PoE support powers access points and VoIP phones without extra wiring
- ✓ 3m green cable with 26AWG copper core keeps runs tidy and identifiable

Product description

Why choose this network cable?

Prokord TP-Cable F/UTP CAT.6 Shielded Lszh RJ45 3m Green provides a compact, shielded connection for short-distance LAN links. It helps keep your network stable in electrically noisy environments, supports Power over Ethernet devices, and uses a low smoke zero halogen jacket for safer use in confined or public spaces.

Prokord TP-Cable F/UTP CAT.6 Shielded Lszh RJ45 3m Green in short:

- Foil-shielded Cat 6 cable, suitable where electromagnetic interference can affect signal quality.
- LSZH jacket reduces toxic fumes and smoke in case of fire, useful in offices and public buildings.
- Ready-made 3 m patch cable for connecting switches, routers, wall outlets, access points, and VoIP phones.
- Supports up to 10000 Mbit/s and 250 MHz for high-speed local networks, and Power over Ethernet.
- Single pack item, choose length carefully to match your patching and cable management needs.

Product details

This Prokord cable uses copper conductors with RJ-45 male connectors on both ends for straightforward plug-and-play installation. The F/UTP shielding protects the data pairs from external interference, helping maintain consistent throughput in busy equipment rooms. The 26 AWG wiring offers good flexibility for patch panels and desktop setups, while the green jacket makes it easy to identify and route within structured cabling.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	3 m
Cable standard	Cat 6
Cable shielding	F/UTP (FTP)
Connector 1	RJ-45
Connector 1 gender	Male
Connector 2	RJ-45
Connector 2 gender	Male
Product colour	Green
Jacket material	LSZH
Conductor material	Copper

Data transfer rate	10000 Mbit/s
AWG wire size	26
Frequency	250 MHz
Power over Ethernet (PoE)	Yes

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------