

Prokord HDMI-H 0068

Data sheet

Core Specs

Cable length	10 m
Connector 1	HDMI
Connector 2	HDMI
Product colour	Black
HDMI version	1.4

Summary

- ✓ Active 10m cable keeps signal stable over long runs, ideal for AV installs
- ✓ Supports up to 1090P at 60Hz, 8-bit colour for clear video
- ✓ Gold plated HDMI males reduce corrosion and signal loss over time
- ✓ Aluminium foil plus braid shielding blocks interference in busy racks
- ✓ PVC jacket and 7.3mm diameter for robust handling and neat routing

Product description

Why choose this HDMI cable?

Prokord Cable HDMI - HDMI 10m Active Black delivers a reliable, long-range HDMI connection for displays and multimedia devices. Its active 10 m design preserves signal integrity over distance, while gold plated connectors and aluminium foil plus braid shielding reduce signal loss and interference, making installations easier to manage and maintain in professional AV and IT environments.

Cable HDMI - HDMI 10m Active Black in short:

- Active 10 m HDMI cable for stable long-distance connections without external repeaters.
- HDMI 1.4 interface with HDCP support, suitable for high-definition sources up to 1090Ppixels at 60Hz.
- Gold plated male-to-male HDMI connectors and tinned copper conductors for reduced corrosion and reliable contact.
- Robust PVC jacket with aluminium foil and braid shielding, designed for installations in interference-prone environments.
- Consider that the 10 m length requires planning for cable routing and that HDMI 1.4 does not include some features found in newer HDMI versions.

Main functions

This cable maintains audio and video quality over longer runs by using active signal conditioning, so you can connect media players, projectors, displays, or conferencing equipment across rooms with fewer signal issues. The shielding and connector plating help keep interference and contact degradation to a minimum. The PVC jacket and 7.3 mm diameter provide a rugged, easy-to-handle cable for fixed installs and repeated setups.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	10 m
Connector 1	HDMI
Connector 1 gender	Male
Connector 1 form factor	HDMI
Connector 2	HDMI
Connector 2 gender	Male
Connector 2 form factor	HDMI
Product colour	Black

HDMI version	1.4
Maximum resolution	1090P pixels
AWG wire size	28AWG
Connector contacts plating	Gold plated
HDCP	Yes
Cable jacket material	PVC
Cable shielding	Aluminium foil + braid
Quantity per pack	1 pc(s)
Data transfer rate	2.55 Gbit/s
High Dynamic Range (HDR) supported	No
Maximum refresh rate	60 Hz
Cable material	Tinned copper
Colour depth	8 bit

Weight & dimensions

Cable diameter	7.3 mm
Weight	592 g

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------