



Prokord MDP12D-1m

Data sheet

Core Specs

Cable length	1 m
Connector 1	DisplayPort
Connector 2	DVI
Product colour	Black
DisplayPort version	1.2

Summary

- ✓ Stable 1080p at 60Hz for reliable presentations and meetings
- ✓ Mini DisplayPort to dual-link DVI keeps video quality intact
- ✓ Gold-plated contacts and double shielding reduce signal loss
- ✓ Flexible 4.5mm PVC jacket and 1m length ease cable routing
- ✓ Lightweight 41g design suits portable setups and tight desks

Product description

Why choose this cable?

Prokord Cable Mini-Displayport - DVI-D 1m Black provides a compact, dependable way to link mini DisplayPort sources to DVI displays. It delivers clear 1920x1080 at 60Hz video for presentations and desktop use. The 1 metre length and robust construction make installation simple, while double shielding and gold plated contacts help maintain a stable signal in office and home setups.

Prokord Cable Mini-Displayport - DVI-D 1m Black in short:

- Connects mini DisplayPort (male) equipment to DVI-D (female) displays, ideal for monitors and projectors that use DVI.
- Supports up to 1920x1080 at 60Hz with dual-link DVI compatibility for consistent HD video.
- Built for reliability with aluminium-foil plus braid shielding, gold plated contacts, tinned copper conductors, and a PVC jacket.
- Note that HDCP is not supported and the cable does not target higher-resolution or high-refresh-rate displays.

Product details

This 1 metre cable is intended for desk, meeting room, and AV setups where a simple DP to DVI link is needed. The straight connector design and 4.5 mm diameter cable provide a neat routing option for short runs. Shielding and plating reduce interference and corrosion risk, helping maintain signal integrity over daily use. Keep in mind the lack of HDCP and HBR2 support when planning connections for protected media or higher-resolution equipment.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	1 m
Connector 1	DisplayPort
Connector 1 gender	Male
Connector 1 form factor	Straight
Connector 2	DVI
Connector 2 gender	Female
Connector 2 form factor	Straight
Product colour	Black
DisplayPort version	1.2

Connector contacts plating	Gold plated
Dual Link DVI	Yes
HDCP	No
Refresh rate at maximum resolution	60 Hz
Colour depth	12 bit
Maximum resolution	1920x1080 pixels
HBR2 support	No
Maximum refresh rate	60 Hz
Cable material	Tinned copper
Cable shielding	Aluminium foil + braid
Jacket material	PVC
AWG wire size	34AWG

Weight & dimensions

Cable diameter	4.5 mm
Weight	41 g

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------

Other features

Connector(s)	DisplayPort, DVI
Supported resolutions	1920x1080
Material	Tinned copper

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------