



Prokord MDPH12M-3M-B

Data sheet

Core Specs

Cable length	3 m
Connector 1	Mini DisplayPort
Connector 2	HDMI
Product colour	Black
HDMI version	1.4
DisplayPort version	1.2

Summary

- ✓ 3m length gives flexible placement, reaches distant displays
- ✓ Supports up to 4Kx2K via DisplayPort 1.2 to HDMI 1.4
- ✓ Gold plated contacts and foil plus braid shielding keep signals clean
- ✓ Slim 4.8mm PVC jacket, 32AWG tinned copper cores, light 38g cable

Product description

Why choose this cable?

Prokord Cable Mini-Displayport - HDMI W/Audio 3m Black gives you a straightforward way to connect a Mini DisplayPort source to an HDMI display while carrying audio. The 3 m length and shielded construction help maintain signal reliability across meeting-room and workstation setups, reducing the need for adapters or extra equipment.

Cable Mini-Displayport - HDMI W/Audio 3m Black in short:

- Connects Mini DisplayPort output to HDMI displays and projectors, transmitting both video and embedded audio.
- 3 m black PVC jacket balances reach and routing for desks and meeting spaces.
- HDMI 1.4 and DisplayPort 1.2 compatibility, supports up to 4Kx2K resolution and 12-bit colour depth.
- Gold-plated contacts, tinned copper conductors and aluminium foil plus braid shielding for stable signal integrity.
- Consideration: the cable does not support HDCP, HDR or HBR2, which can limit playback of some protected or HDR content.

Product details and use

Prokord Cable Mini-Displayport - HDMI W/Audio 3m Black is built for simple AV connections from laptops and small PCs with Mini DisplayPort outputs to HDMI monitors, TVs or projectors. The straight male-to-male connectors plug directly into devices, and the slim 4.8 mm, lightweight cable is easy to route behind desks or AV furniture. Shielding and gold-plated contacts reduce interference and improve contact reliability, so you get consistent picture and sound for presentations and everyday screen mirroring.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	3 m
Connector 1	Mini DisplayPort
Connector 1 gender	Male
Connector 1 form factor	Straight
Connector 2	HDMI
Connector 2 gender	Male
Connector 2 form factor	Straight
Product colour	Black

HDMI version	1.4
DisplayPort version	1.2
Connector contacts plating	Gold plated
HDCP	No
Colour depth	12 bit
Maximum resolution	4Kx2K pixels
High Dynamic Range (HDR) supported	No
HBR2 support	No
Cable material	Tinned copper
Cable shielding	Aluminium foil + braid
Jacket material	PVC
AWG wire size	32AWG
Data transfer rate	3 Gbit/s

Weight & dimensions

Weight	38 g
Cable diameter	4.8 mm

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------

Other features

Connector(s)	Mini DisplayPort, HDMI
Supported resolutions	4Kx2K
Material	Tinned copper

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------