



Prokord MDPH12M-3M-W

Data sheet

Core Specs

Cable length	3 m
Connector 1	Mini DisplayPort
Connector 2	HDMI
Product colour	White
HDMI version	1.4
DisplayPort version	1.2

Summary

- ✓ Connect Mini DisplayPort laptops to HDMI displays, audio included
- ✓ Supports 4096 x 2160 resolution for sharp 4K visuals
- ✓ Gold plated contacts ensure reliable signal and less corrosion
- ✓ 3m cable length gives flexible device placement
- ✓ White straight male connectors fit cleanly into office layouts

Product description

Why choose this cable?

Prokord Cable Mini-Displayport - HDMI W/Audio 3m White makes it simple to send both video and audio from a Mini DisplayPort output to an HDMI display. The 3 m length gives you flexible desk and meeting-room setups. Gold-plated contacts and standards support help ensure reliable connections and predictable display performance.

Cable Mini-Displayport - HDMI W/Audio 3m White in short:

- Connect a Mini DisplayPort laptop or docking station to an HDMI monitor, TV, or projector.
- Carries audio with the video stream, so you can use a single cable for AV setups.
- 3 m length suits desktop layouts and medium-distance installs without signal extenders.
- Gold-plated connectors and straight male plugs for secure contact and easy insertion.
- Check that your source has a Mini DisplayPort output and the screen accepts HDMI input.

What it does

This cable transfers video and audio from a Mini DisplayPort source to an HDMI sink. It supports DisplayPort 1.2 and HDMI 1.4 compatibility, so you can use it for higher-resolution displays up to 4096 x 2160 pixels when both devices support those standards. Use it for presentations, connecting external monitors, or hooking a laptop to a TV for media playback.

Design and reliability

The Prokord cable comes in white to blend into light-colour setups. Straight male connectors make it simple to plug into tight spaces. Gold-plated contacts reduce corrosion and help maintain a stable connection over repeated use. Each pack contains one cable for straightforward deployment.

Compatibility and practical notes

This cable is designed for Mini DisplayPort output to HDMI input. It is suitable for many laptops, tablets, and docking stations with Mini DisplayPort ports. Verify the video mode and resolution supported by your display to ensure the best result. The listed HS code is 84733080 for customs and logistics purposes.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	3 m
--------------	-----

Connector 1	Mini DisplayPort
Connector 1 gender	Male
Connector 1 form factor	Straight
Connector 2	HDMI
Connector 2 gender	Male
Connector 2 form factor	Straight
Product colour	White
HDMI version	1.4
DisplayPort version	1.2
Connector contacts plating	Gold
Supported graphics resolutions	4096 x 2160
Maximum resolution	4096 x 2160 pixels

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	-----------------

Packaging data

Quantity per pack	1 pc(s)
-------------------	----------------