



Prokord S/FTP-0005

Data sheet

Core Specs

Connector 1	RJ-45
Connector 2	RJ-45
Cable standard	Cat 6
Cable shielding	S/FTP (S-STP)
Cable length	1 m
Jacket material	LSZH

Summary

- ✓ Shielded S/FTP design reduces crosstalk and protects signal integrity
- ✓ Cat 6, 250MHz rating supports high bandwidth and 10Gbps on short runs
- ✓ LSZH jacket limits smoke and toxic gases, safer in confined spaces
- ✓ Supports Power over Ethernet, powers devices without extra cabling
- ✓ 1m grey patch lead with copper conductors for tidy, reliable connections

Product description

Why choose this network cable?

Prokord TP-Cable S/FTP CAT.6 Shielded Lszh RJ45 1m Grey provides reliable, shielded Ethernet connectivity for short links between switches, patch panels and endpoint devices. The S/FTP construction reduces electromagnetic interference in equipment-dense areas. The LSZH jacket lowers smoke and toxic gas emissions in enclosed spaces. One-metre length helps keep racks and workstations tidy while supporting PoE and high-speed data.

TP-Cable S/FTP CAT.6 Shielded Lszh RJ45 1m Grey in short:

- S/FTP shielding reduces interference, suitable for installations near power equipment or dense cabling.
- LSZH jacket limits smoke and halogen emissions, useful for offices, server rooms and public buildings.
- Standard RJ45 male connectors for simple patching between switches, routers and devices.
- Supports up to 10 Gbit/s and Power over Ethernet for high-speed links and powered devices.
- Cable length is 1 metre, so confirm required reach before ordering.

Product details

The Prokord TP-Cable S/FTP CAT.6 Shielded Lszh RJ45 1m Grey uses 26 AWG copper conductors and shielded connectors to maintain signal integrity over short runs. It is designed as a patch cable for connecting network equipment within racks, at workstations or between panel ports. The neutral grey jacket keeps installations visually consistent and easier to manage.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	1 m
Cable standard	Cat 6
Cable shielding	S/FTP (S-STP)
Connector 1	RJ-45
Connector 1 gender	Male
Connector 2	RJ-45
Connector 2 gender	Male
Product colour	Grey
Jacket material	LSZH

Conductor material	Copper
AWG wire size	26
Data transfer rate	10000 Mbit/s
Frequency	250 MHz
Power over Ethernet (PoE)	Yes

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------