

Cable SAS Internal Angled 0.5m Red

Data sheet

Summary

- ✓ Female-to-female 7-pin SATA connectors, straight at one end and angled at the other for tight routing.
- ✓ Supports SATA III data rates up to 6 Gbit/s, suitable for HDDs and SSDs in internal systems.
- ✓ Flat red cable with black connectors minimizes bulk and improves airflow in compact chassis.
- ✓ 0.5 m length is ideal for short internal runs and neat cable management.
- ✓ Designed for internal use; the length may not suit longer connections.

Product description

Why choose this cable?

Prokord Cable SAS Internal Angled 0.5m Red helps you keep internal storage connections tidy and reliable in tight enclosures. Its straight and angled SATA 7-pin ends simplify routing behind drive bays, while the short length and flat design reduce clutter and help maintain airflow. The cable supports SATA III speeds up to 6 Gbit/s for consistent performance with modern drives.

Cable SAS Internal Angled 0.5m Red in short:

- Female-to-female 7-pin SATA connectors, straight at one end and angled at the other for tight routing.
- Supports SATA III data rates up to 6 Gbit/s, suitable for HDDs and SSDs in internal systems.
- Flat red cable with black connectors minimizes bulk and improves airflow in compact chassis.
- 0.5 m length is ideal for short internal runs and neat cable management.
- Designed for internal use; the length may not suit longer connections.

Practical use

Prokord Cable SAS Internal Angled 0.5m Red provides a simple, reliable link between SATA devices and controllers in servers and desktop systems. The angled top connector makes it easier to connect drives in confined spaces, while the straight end fits standard header orientations. Use this cable when you need a short, tidy internal SATA connection that supports full SATA III throughput.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	0.5 m
Cable type	SATA III
Connector 1	SATA
Connector 2	SATA
Connector 1 form factor	Straight
Connector 2 form factor	Top
Connector gender	Female/Female
Product colour	Black, Red
Maximum data transfer rate	6 Gbit/s

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------