

# Cable SATA/SAS Internal Angled 0.8m Red

Data sheet

## Summary

- ✓ Straight 7-pin and angled 7-pin ends for easier routing in cramped chassis and drive bays
- ✓ Supports SATA III speeds up to 6 Gbit/s, suitable for standard HDD and SSD connections
- ✓ 0.8 m length, a compromise between reach and tidy cable runs
- ✓ Black and red low-profile flat cable with black connectors for clear identification and neat layout
- ✓ Supplied as one cable per pack, check that your device uses standard SATA connectors before purchase

# Product description

## Why choose this cable?

Prokord Cable SATA/SAS Internal Angled 0.8m Red connects internal drives with a straight 7-pin SATA plug and an angled 7-pin SATA plug, improving routing in tight bays and reducing strain on connectors. At 0.8m it provides a practical balance between reach and neat cable management. It supports SATA III transfer rates up to 6 Gbit/s for reliable data throughput.

## Cable SATA/SAS Internal Angled 0.8m Red in short:

- Straight 7-pin and angled 7-pin ends for easier routing in cramped chassis and drive bays
- Supports SATA III speeds up to 6 Gbit/s, suitable for standard HDD and SSD connections
- 0.8 m length, a compromise between reach and tidy cable runs
- Black and red low-profile flat cable with black connectors for clear identification and neat layout
- Supplied as one cable per pack, check that your device uses standard SATA connectors before purchase

## Product details

The Prokord Cable SATA/SAS Internal Angled 0.8m Red is built for straightforward internal connections between SATA devices and controllers. The angled end helps you keep connectors clear of adjacent components and reduces bending at the socket. The flat, low-profile cable simplifies routing behind drive cages and along motherboard edges. It is sold as a single cable per pack and is intended for systems that use standard SATA connections.

# Technical Specification Matrix

## Header

|              |         |
|--------------|---------|
| Manufacturer | Prokord |
|--------------|---------|

## Features

|                            |             |
|----------------------------|-------------|
| Cable length               | 0.8 m       |
| Cable type                 | SATA III    |
| Connector 1                | SATA        |
| Connector 2                | SATA        |
| Connector 1 form factor    | Straight    |
| Connector 2 form factor    | Top         |
| Connector gender           | Male/Female |
| Product colour             | Black, Red  |
| Maximum data transfer rate | 6 Gbit/s    |

Packaging data

|                   |         |
|-------------------|---------|
| Quantity per pack | 1 pc(s) |
|-------------------|---------|

Logistics data

|                             |          |
|-----------------------------|----------|
| Harmonized System (HS) code | 84733080 |
|-----------------------------|----------|