



# Multilane SAS-SFF8087 - 4XSata 7-Pin 0.5m

## Data sheet

### Summary

- ✓ Breakout cable linking SFF-8087 (Mini SAS) to four straight SATA 7-pin connectors, for consolidating internal storage connections.
- ✓ 0.5 m length, suitable for short internal runs where neat cabling and reduced signal loss matter.
- ✓ Black braided sleeve with blue SATA leads and labelled P1–P4 for clear identification and organised installs.
- ✓ Straight connector form factor matches standard server and backplane ports for straightforward fitment.
- ✓ Not suitable for installations that require extended cable lengths.

# Product description

## Why choose this cable?

Prokord Multilane SAS-SFF8087 - 4Xsata 7-Pin 0.5m is a compact internal breakout cable that connects a Mini SAS port to four SATA drives, simplifying storage wiring in racks and servers. The short 0.5 m length helps maintain signal integrity and keeps drive bays tidy. Black and blue colouring with labelled leads speeds up installation and troubleshooting.

## Prokord Multilane SAS-SFF8087 - 4Xsata 7-Pin 0.5m in short:

- Breakout cable linking SFF-8087 (Mini SAS) to four straight SATA 7-pin connectors, for consolidating internal storage connections.
- 0.5 m length, suitable for short internal runs where neat cabling and reduced signal loss matter.
- Black braided sleeve with blue SATA leads and labelled P1–P4 for clear identification and organised installs.
- Straight connector form factor matches standard server and backplane ports for straightforward fitment.
- Not suitable for installations that require extended cable lengths.

## Product details

The cable pairs a straight SFF-8087 Mini SAS connector with four straight SATA 7-pin connectors, making it useful when you need to connect a SAS controller or backplane to multiple SATA drives. The braided black sleeve provides strain protection while the blue individual leads and printed labels make it easier to route and identify connections inside chassis or racks. This design supports mixed SAS and SATA setups in standard temperature environments and helps reduce installation time in dense storage configurations.

# Technical Specification Matrix

## Header

|              |         |
|--------------|---------|
| Manufacturer | Prokord |
|--------------|---------|

## Features

|                         |                     |
|-------------------------|---------------------|
| Cable length            | 0.5 m               |
| Connector 1             | SFF-8087 (Mini SAS) |
| Connector 2             | 4 x SATA            |
| Connector gender        | Male/Female         |
| Product colour          | Black, Blue         |
| Connector 1 form factor | Straight            |
| Connector 2 form factor | Straight            |

## Logistics data

