



Prokord STP-0011

Data sheet

Core Specs

Connector 1	RJ-45
Connector 2	RJ-45
Cable standard	Cat 6
Cable shielding	S/UTP (STP)
Cable length	10 m
Jacket material	LSZH

Summary

- ✓ Shielded Cat6 cable supports up to 10 Gbps for high speed links
- ✓ S/UTP shielding and metal RJ45 plugs cut EMI for stable signals
- ✓ LSZH jacket limits smoke and halogens, safer for shared spaces
- ✓ 10m length gives flexible placement, fits office and server racks
- ✓ PoE compatible so cameras and APs can run without extra power

Product description

Why choose this cable?

Prokord TP-Cable STP CAT.6 Shielded Lszh RJ45 10m White delivers reliable, low-interference connections for wired networks. The shielded Cat 6 design improves signal stability, and the LSZH jacket reduces smoke and harmful gases in enclosed spaces. At 10 metres and with PoE support, it suits common office and server-room cabling needs.

Prokord TP-Cable STP CAT.6 Shielded Lszh RJ45 10m White in short:

- Shielded Cat 6 construction to reduce electromagnetic interference for stable data links.
- LSZH jacket for lower smoke and halogen-free protection in confined or public spaces.
- 10 metre length fits connections between racks, switches, and wall outlets.
- Supports PoE and data rates up to 10000 Mbit/s at 250 MHz for high-throughput devices.
- Supplied as a single male-to-male RJ45 cable, ready to plug in.

Product details

Prokord TP-Cable STP CAT.6 Shielded Lszh RJ45 10m White is a ready-made patch cable with metal-shielded RJ45 plugs and copper conductors for consistent connectivity. Use it to link switches, routers, patch panels, IP cameras, or access points where reduced interference and PoE power delivery are required. The white LSZH jacket keeps visible cable runs tidy and compliant with safety requirements in many installations.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	10 m
Cable standard	Cat 6
Cable shielding	S/UTP (STP)
Connector 1	RJ-45
Connector 1 gender	Male
Connector 2	RJ-45
Connector 2 gender	Male
Product colour	White
Jacket material	LSZH
Conductor material	Copper

Data transfer rate	10000 Mbit/s
AWG wire size	26
Frequency	250 MHz
Power over Ethernet (PoE)	Yes

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------