



Prokord STP-0016

Data sheet

Core Specs

Connector 1	RJ-45
Connector 2	RJ-45
Cable standard	Cat 6
Cable shielding	S/UTP (STP)
Cable length	15 m
Jacket material	LSZH

Summary

- ✓ Shielded S/UTP construction reduces EMI, improves network stability
- ✓ Rated 10,000Mbit/s and 250MHz, supports high bandwidth applications
- ✓ LSZH jacket limits smoke and toxic gases, safer for enclosed spaces
- ✓ 26 AWG copper conductors and shielded RJ45s deliver reliable links
- ✓ 15m length and PoE support power devices, enable flexible layouts

Product description

Why choose this network cable?

Prokord TP-Cable STP CAT.6 Shielded Lszh RJ45 15m White delivers reliable, high-speed connections with shielding to reduce electromagnetic interference and an LSZH jacket for safer indoor installations. It supports Power over Ethernet so you can power access points and cameras, while the 15 meter length suits typical office and rack-to-wall runs.

TP-Cable STP CAT.6 Shielded Lszh RJ45 15m White in short:

- Shielded Cat 6 cable, useful where electromagnetic interference can affect network stability.
- 15 meter length for connecting switches, access points, or wall ports without additional patching.
- LSZH jacket reduces smoke and halogen, suitable for offices, schools, and other indoor environments.
- Male RJ45 to RJ45 with copper 26 AWG conductors, compatible with PoE devices.
- Supports up to 250 MHz and 10,000 Mbit/s for high-throughput applications.

Product details

Prokord TP-Cable STP CAT.6 Shielded Lszh RJ45 15m White uses S/UTP shielding and metal RJ45 plugs to maintain signal integrity in noisy installations. The copper conductors and 26 AWG sizing keep attenuation low across the 15 meter run. The LSZH outer jacket meets safety needs for indoor public spaces, and PoE compatibility lets you power devices such as wireless access points, VoIP phones, and security cameras.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	15 m
Cable standard	Cat 6
Cable shielding	S/UTP (STP)
Connector 1	RJ-45
Connector 1 gender	Male
Connector 2	RJ-45
Connector 2 gender	Male
Product colour	White
Jacket material	LSZH

Conductor material	Copper
Data transfer rate	10000 Mbit/s
AWG wire size	26
Frequency	250 MHz
Power over Ethernet (PoE)	Yes

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------