



Prokord STP-0020

Data sheet

Core Specs

Connector 1	RJ-45
Connector 2	RJ-45
Cable standard	Cat 6
Cable shielding	S/UTP (STP)
Cable length	1 m
Jacket material	LSZH

Summary

- ✓ Delivers 10 Gbit/s performance for high bandwidth needs
- ✓ Shielded S/UTP construction limits EMI for stable links
- ✓ Supports PoE with 26 AWG copper conductors for reliable power
- ✓ LSZH jacket reduces smoke and toxic gases in enclosed spaces
- ✓ 1m length and green colour simplify rack wiring and identification

Product description

Why choose this network cable?

Prokord TP-Cable STP CAT.6 Shielded Lszh RJ45 1m Green is a compact, shielded Cat 6 patch cable that delivers reliable short-range connections with reduced electromagnetic interference. Its LSZH jacket limits smoke and toxic gases in confined spaces. Use it for tidy rack and desk patching where PoE support and secure metal RJ45 connectors matter.

TP-Cable STP CAT.6 Shielded Lszh RJ45 1m Green in short:

- Shielded S/UTP design reduces interference, useful near servers, switches, or other noisy equipment.
- Low smoke zero halogen jacket improves safety in data rooms, offices, and public areas.
- One-metre length keeps cable runs neat for rack-to-patch or switch-to-device connections.
- Supports Power over Ethernet, so you can power access points, phones, and cameras over the same cable.
- Male-to-male RJ45 connectors with sturdy metal housings for a secure, durable connection.

Product details

The Prokord TP-Cable STP CAT.6 Shielded Lszh RJ45 1m Green uses copper conductors and Cat 6 specification to support high-throughput links and frequencies up to 250 MHz. It is designed for short patching tasks where shielding and a low-smoke jacket matter. The cable supports data rates up to 10 000 Mbit/s and works with standard RJ45 ports. You can rely on it for tidy, safe connections in racks, patch panels, and close-proximity device wiring.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	1 m
Cable standard	Cat 6
Cable shielding	S/UTP (STP)
Connector 1	RJ-45
Connector 1 gender	Male
Connector 2	RJ-45
Connector 2 gender	Male
Product colour	Green
Jacket material	LSZH

Conductor material	Copper
Data transfer rate	10000 Mbit/s
AWG wire size	26
Frequency	250 MHz
Power over Ethernet (PoE)	Yes

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------