



Prokord STP-0026

Data sheet

Core Specs

Connector 1	RJ-45
Connector 2	RJ-45
Cable standard	Cat 6
Cable shielding	S/UTP (STP)
Cable length	25 m
Jacket material	LSZH

Summary

- ✓ Shielded Cat 6 cable reduces EMI for more consistent network links
- ✓ LSZH jacket limits smoke and halogen in enclosed office spaces
- ✓ Male RJ45 plugs with metal shields enhance signal grounding
- ✓ Supports PoE and high data rates up to 10G at proper distances
- ✓ 25 m length with 26 AWG copper conductors for reliable runs

Product description

Why choose this cable?

Prokord TP-Cable STP CAT.6 Shielded Lszh RJ45 25m Grey delivers shielded Cat 6 performance for stable, high-speed links in office and data-room environments. The STP construction limits electromagnetic interference and the LSZH jacket reduces smoke and halogen in confined spaces. At 25 metres and with PoE support, it fits connections where reliable throughput and safe cabling are important.

Prokord TP-Cable STP CAT.6 Shielded Lszh RJ45 25m Grey in short:

- Shielded Cat 6 cable, designed to reduce EMI for more consistent network connections near electrical equipment.
- LSZH jacket, suitable for offices, public buildings and other enclosed spaces where low smoke and halogen is required.
- 25 m length with male-to-male RJ45 connectors and molded strain reliefs, convenient for linking switches to devices across medium distances.
- Supports Power over Ethernet and high data rates up to 10000 Mbit/s at appropriate distances, useful for access points and IP cameras.
- Copper conductors, 26 AWG; consider that maximum 10G performance can be distance-dependent when planning installations.

Practical use

This Prokord cable is a straightforward patch lead for structured cabling and device connections. Shielding and metal-bodied RJ45 plugs improve signal integrity in electrically noisy environments. The LSZH jacket reduces hazardous emissions in enclosed spaces, and PoE compatibility lets you power devices such as wireless access points and IP cameras over the same cable. Use it where you need a reliable, safe link between network equipment across a 25 metre run.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	25 m
Cable standard	Cat 6
Cable shielding	S/UTP (STP)
Connector 1	RJ-45
Connector 1 gender	Male
Connector 2	RJ-45

Connector 2 gender	Male
Product colour	Grey
Jacket material	LSZH
Conductor material	Copper
Data transfer rate	10000 Mbit/s
AWG wire size	26
Frequency	250 MHz
Power over Ethernet (PoE)	Yes

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------