



Prokord USB-0008

Data sheet

Core Specs

Cable length	0.5 m
Connector 1	USB-A
Connector 2	USB-A
Product colour	Black
USB version	USB 2.0
USB Power Delivery up to	2.5 W

Summary

- ✓ Short 0.5m length keeps workspaces tidy and reduces cable clutter
- ✓ USB 2.0 at 480Mbit/s delivers reliable everyday data transfers
- ✓ USB-A male to male connectors create a secure, direct device link
- ✓ LSZH jacket reduces smoke and toxic gases, suitable for sensitive sites
- ✓ Nickel plated contacts resist corrosion and improve long term reliability

Product description

Why choose this cable?

Prokord Cable USB 2.0 Type A-A Male-Male 0.5m Black gives you a compact, low-clutter connection between two USB-A ports. Its short length keeps workstations and test benches tidy while delivering consistent USB 2.0 data transfer. The LSZH jacket improves safety in confined spaces, making it a practical option for offices, labs, and installation environments.

Prokord Cable USB 2.0 Type A-A Male-Male 0.5m Black in short:

- Short 0.5 m length for tidy, close-range connections and testing setups.
- USB 2.0 performance up to 480 Mbit/s for printers, scanners, cameras, and file transfers.
- Male-to-male USB-A connectors with straight form factor and nickel-plated contacts for stable mating.
- Round cable with low-smoke zero-halogen jacket, suitable where reduced toxic smoke is preferred.
- Consideration: not suitable for USB Type-C devices, USB 3.x speeds, or high-power charging needs.

Product details

The Prokord Cable USB 2.0 Type A-A Male-Male 0.5m Black links two USB-A ports for direct data exchange and limited peripheral power. It supports 5 V at 0.5 A for device power and delivers reliable 480 Mbit/s transfers for everyday peripherals. The simple straight connectors and durable jacket make it easy to route and maintain in professional environments where dependable, low-profile cabling matters.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Max data transfer rate	480 Mbit/s
Cable length	0.5 m
USB version	USB 2.0
Connector 1	USB-A
Connector 1 gender	Male
Connector 1 form factor	Straight
Connector 2	USB-A
Connector 2 gender	Male
Connector 2 form factor	Straight

USB Power Delivery	No
USB Power Delivery up to	2.5 W
Product colour	Black
Cable type	Round cable
Cable jacket material	Low smoke zero halogen (LSZH)
Connector contacts plating	Nickel plating

Power

Input voltage	5 V
Input current (max)	0.5 A

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------