



Cable USB 2.0 Type A-B Male-Male 0.5m Black0.5m USB-A USB-B Black

Data sheet

Summary

- ✓ Compact 0.5 m length, ideal for close-range connections between a PC and a printer or scanner.
- ✓ Low smoke zero halogen (LSZH) jacket, suited to offices and public spaces with strict safety requirements.
- ✓ USB 2.0 performance up to 480 Mbit/s, suitable for routine data transfer and device control.
- ✓ Straight USB-A to USB-B male connectors with nickel-plated contacts for reliable mating and corrosion resistance.
- ✓ Not suitable for USB 3.0 speeds or long cable runs, and it does not support USB Power Delivery.

Product description

Why choose this cable?

Prokord Cable USB 2.0 Type A-B Male-Male 0.5m Black provides a reliable, low-profile link between USB peripherals. The 0.5 m round design reduces desk clutter, while the LSZH jacket improves safety in smoke-sensitive environments. It supports USB 2.0 data rates for everyday tasks and nickel-plated contacts help maintain consistent connections.

Prokord Cable USB 2.0 Type A-B Male-Male 0.5m Black in short:

- Compact 0.5 m length, ideal for close-range connections between a PC and a printer or scanner.
- Low smoke zero halogen (LSZH) jacket, suited to offices and public spaces with strict safety requirements.
- USB 2.0 performance up to 480 Mbit/s, suitable for routine data transfer and device control.
- Straight USB-A to USB-B male connectors with nickel-plated contacts for reliable mating and corrosion resistance.
- Not suitable for USB 3.0 speeds or long cable runs, and it does not support USB Power Delivery.

Product details

This single-pack cable connects a host USB-A port to a USB-B peripheral, making it useful for printers, scanners and other legacy devices that use the B connector. The round, black cable is easy to route on a desk or in a cabinet. Connector housings are straight for straightforward insertion, and the LSZH jacket reduces harmful emissions in the unlikely event of fire. Use this cable when you need a short, safe and dependable link for everyday peripheral tasks.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Max data transfer rate	480 Mbit/s
Cable length	0.5 m
USB version	USB 2.0
Connector 1	USB-A
Connector 1 gender	Male
Connector 1 form factor	Straight
Connector 2	USB-B
Connector 2 gender	Male
Connector 2 form factor	Straight

USB Power Delivery	No
USB Power Delivery up to	2.5 W
Product colour	Black
Cable type	Round cable
Cable jacket material	Low smoke zero halogen (LSZH)
Connector contacts plating	Nickel plating
USB Type-C DisplayPort Alternate Mode	No

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------