



Prokord USB-0019

Data sheet

Core Specs

Cable length	1 m
Connector 1	USB-A
Connector 2	Micro USB-B
Product colour	Black
USB version	USB 2.0
USB Power Delivery up to	2.5 W

Summary

- ✓ 1m length fits tight setups, keeps devices close and tidy
- ✓ Angled Micro-B plus straight USB-A eases connection in confined ports
- ✓ USB 2.0 at 480Mbit/s for stable data sync and device updates
- ✓ LSZH jacket reduces smoke and halogen risk in shared spaces
- ✓ Nickel-plated contacts and shielding resist corrosion, extend life

Product description

Why choose this USB cable?

Prokord Cable USB 2.0 Type A-B Micro Male-Male 1m Black Ang provides dependable USB 2.0 connectivity for device syncing and low-power charging. The straight USB-A and right-angled Micro-B connectors reduce cable strain and fit tight spaces. An LSZH jacket improves safety in installed environments, while nickel-plated shielding and contacts help maintain stable 480 Mbit/s transfers.

Prokord Cable USB 2.0 Type A-B Micro Male-Male 1m Black Ang in short:

- Right-angled Micro USB-B fits confined spaces and reduces connector stress.
- Straight USB-A offers a standard connection for hosts and chargers.
- Suitable for data sync and charging at USB 2.0 speeds, up to 480 Mbit/s and 5 V, 0.5 A.
- LSZH jacket and nickel-plated shielding improve safety and durability.
- Not suitable if you need USB 3.x speeds or longer cable runs.

Usage and features

This cable connects devices with USB-A ports to equipment using Micro USB-B, making it useful for peripherals, legacy mobile devices, and small electronics. It supports standard USB 2.0 data transfers and low-power charging, and its round cable design keeps routing neat. The angled Micro-B end is practical for wall-mounted devices and crowded racks, while the LSZH jacket makes the cable more suitable for public or enclosed installations where reduced smoke and halogen emissions are important.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Max data transfer rate	480 Mbit/s
Cable length	1 m
USB version	USB 2.0
Connector 1	USB-A
Connector 1 gender	Male
Connector 1 form factor	Straight
Connector 2	Micro USB-B
Connector 2 gender	Male
Connector 2 form factor	Angled

USB Power Delivery	No
USB Power Delivery up to	2.5 W
Product colour	Black
Cable type	Round cable
Cable jacket material	Low smoke zero halogen (LSZH)
Connector contacts plating	Nickel plating
Cable shielding	Nickel plating
USB Type-C DisplayPort Alternate Mode	No

Power

Input voltage	5 V
Input current (max)	0.5 A

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------