



Prokord USB-0025-LSZH

Data sheet

Core Specs

Cable length	2 m
Connector 1	USB-A
Connector 2	USB-B
Product colour	Black
USB version	USB 2.0
USB Power Delivery up to	2.5 W

Summary

- ✓ USB 2.0 480Mbit/s data transfer for dependable peripheral communication
- ✓ 2m length gives flexible placement of printers, scanners and devices
- ✓ LSZH jacket improves safety by reducing smoke in case of fire
- ✓ Nickel plated contacts provide consistent connections and durability
- ✓ Supplies low power up to 2.5W, matching common USB peripheral needs

Product description

Why choose this USB cable?

Prokord Cable USB 2.0 Type A-B Male-Male 2m Black connects a computer’s USB-A port to USB-B peripherals, providing dependable data transfer and flexible device placement. The two metre round design uses a low smoke zero halogen jacket for improved safety in office and public spaces. Straight, nickel-plated connectors give consistent contact and durability during everyday use.

Cable USB 2.0 Type A-B Male-Male 2m Black in short:

- Connects printers, scanners and other USB-B peripherals to a computer’s USB-A port, simplifying cable routing.
- Supports USB 2.0 data rates up to 480Mbit/s for file transfers and device communication.
- Two metre length offers flexibility when positioning devices without extra extensions.
- LSZH jacket reduces smoke and toxic emissions, suitable for office and shared environments.
- Note: limited to USB 2.0 speeds and not intended for high-power charging.

Product details

Prokord Cable USB 2.0 Type A-B Male-Male 2m Black lets you link USB-B devices to standard USB-A hosts for data and basic power. It supports up to 480Mbit/s and supplies 5V at 0.5A, making it suitable for communication and light-powered peripherals rather than fast charging. The LSZH jacket improves safety, and nickel-plated contacts help maintain a stable connection through repeated use. The cable is supplied as a single 2 metre unit.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Max data transfer rate	480 Mbit/s
Cable length	2 m
USB version	USB 2.0
Connector 1	USB-A
Connector 1 gender	Male
Connector 1 form factor	Straight
Connector 2	USB-B
Connector 2 gender	Male
Connector 2 form factor	Straight

USB Power Delivery up to	2.5 W
Product colour	Black
Cable type	Round cable
Cable jacket material	Low smoke zero halogen (LSZH)
Connector contacts plating	Nickel plating
Reversible connectors	No
USB Type-C DisplayPort Alternate Mode	No

Power

Input voltage	5 V
Input current (max)	0.5 A

Packaging data

Quantity per pack	1 pc(s)
-------------------	----------------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	-----------------