



Prokord USB-0026

Data sheet

Core Specs

Cable length	2 m
Connector 1	USB-A
Connector 2	USB-B
Product colour	White
USB version	USB 2.0
USB Power Delivery up to	2.5 W

Summary

- ✓ Reliable USB 2.0 transfers at 480Mbit/s for printers and scanners
- ✓ 2m length gives flexible placement for desks and equipment
- ✓ LSZH jacket reduces toxic emissions, suitable for offices and IT
- ✓ Nickel plated contacts and shielding improve connection longevity
- ✓ Delivers up to 2.5W power for low power devices and peripherals

Product description

Why choose this USB cable?

Prokord Cable USB 2.0 Type A-B Male-Male 2m White provides reliable, everyday connectivity for devices such as printers, scanners and some external drives. The 2m length keeps work areas tidy while the low smoke zero halogen jacket reduces toxicity and smoke in managed environments. Straight male connectors and nickel-plated contacts help ensure consistent connections and minimal signal loss.

Prokord Cable USB 2.0 Type A-B Male-Male 2m White in short:

- Connects USB-A hosts to USB-B devices, suitable for printers, scanners and similar peripherals.
- 2m length gives flexible placement without excess cable clutter.
- LSZH jacket improves safety in shared or sealed spaces where low smoke and low toxicity matter.
- USB 2.0 data rate (up to 480 Mbit/s) for reliable transfer of documents and standard data tasks.
- Note: not intended for USB 3.0/3.1 data rates and avoid extreme bending that may stress the cable.

Product details

The Prokord Cable USB 2.0 Type A-B Male-Male 2m White links host devices and peripherals with a straightforward plug-and-play connection. It carries data at USB 2.0 speeds and supplies modest USB power, making it suitable for standard printing, scanning and file transfer tasks. The round cable with straight male connectors and nickel plating adds connection stability, while the white finish blends into office and service environments.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Max data transfer rate	480 Mbit/s
Cable length	2 m
USB version	USB 2.0
Connector 1	USB-A
Connector 1 gender	Male
Connector 1 form factor	Straight
Connector 2	USB-B
Connector 2 gender	Male
Connector 2 form factor	Straight

USB Power Delivery up to	2.5 W
Product colour	White
Cable type	Round cable
Cable jacket material	Low smoke zero halogen (LSZH)
Connector contacts plating	Nickel plating
Cable shielding	Nickel plating

Power

Input voltage	5 V
Input current (max)	0.5 A

Packaging data

Quantity per pack	1 pc(s)
-------------------	----------------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	-----------------