



Prokord USB-0027

Data sheet

Core Specs

Cable length	2 m
Connector 1	USB-A
Connector 2	Micro USB-B
Product colour	Black
USB version	USB 2.0
USB Power Delivery up to	2.5 W

Summary

- ✓ Reliable USB 2.0 data transfers up to 480Mbit/s for file sync
- ✓ 2m length gives flexible reach across desks and workstations
- ✓ LSZH jacket reduces smoke and emissions for safer environments
- ✓ Nickel plated contacts resist corrosion for reliable connections
- ✓ Straight male A to Micro-B plugs suit cameras, tablets and peripherals

Product description

Why choose this cable?

Prokord Cable USB 2.0 Type A-B Micro Male-Male 2m Black gives you a practical, safe link between USB-A hosts and micro USB-B devices. The 2 m round cable and LSZH jacket provide flexible reach and reduced smoke and halogen emissions for equipment rooms and shared workspaces. Straight male connectors make it quick to connect cameras, tablets, and older mobile devices without extra adapters.

Prokord Cable USB 2.0 Type A-B Micro Male-Male 2m Black in short:

- Connects USB-A hosts to micro USB-B devices, so you can link cameras, tablets, and older smartphones to PCs or chargers.
- Supports USB 2.0 data transfers up to 480 Mbit/s, suitable for file transfers and device synchronization.
- 2 m length with round LSZH jacket gives flexible placement and lower smoke and halogen emissions in enclosed spaces.
- Nickel-plated contacts and straight male connectors help maintain reliable connections during regular use.
- Not suitable for USB 3.x speeds or fast-charging; power is limited to 5 V at 0.5 A and no USB Power Delivery.

About this cable

The Prokord Cable USB 2.0 Type A-B Micro Male-Male 2m Black provides a straightforward link between a USB-A host and a micro USB-B device. It supports standard USB 2.0 transfers and allows syncing and light charging at the USB 2.0 power level. The LSZH jacket reduces harmful emissions in case of fire, which is useful for offices and technical installations. The cable is a single-pack accessory with straight, non-reversible male connectors and nickel-plated contacts for durable contact performance.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Max data transfer rate	480 Mbit/s
Cable length	2 m
USB version	USB 2.0
Connector 1	USB-A
Connector 1 gender	Male
Connector 1 form factor	Straight
Connector 2	Micro USB-B
Connector 2 gender	Male

Connector 2 form factor	Straight
USB Power Delivery	No
USB Power Delivery up to	2.5 W
Product colour	Black
Cable type	Round cable
Cable jacket material	Low smoke zero halogen (LSZH)
Connector contacts plating	Nickel plating
Reversible connectors	No
USB Type-C DisplayPort Alternate Mode	No

Power

Input voltage	5 V
Input current (max)	0.5 A

Packaging data

Quantity per pack	1 pc(s)
-------------------	----------------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	-----------------