



Cable USB 2.0 Type A-B Mini Male-Male 2m Black Ang2m USB-A Mini USB-B

Data sheet

Summary

- ✓ Straight USB-A to angled Mini USB-B, reduces connector stress and fits constrained ports.
- ✓ 2 m round cable for flexible device placement without adapters.
- ✓ USB 2.0 performance up to 480 Mbit/s, suitable for cameras, portable printers, and data syncing.
- ✓ Low smoke zero halogen (LSZH) jacket for safer use in enclosed or public spaces.
- ✓ Not intended for USB 3.0 speeds or high-power charging applications.

Product description

Why choose this USB cable?

Prokord Cable USB 2.0 Type A-B Mini Male-Male 2m Black Ang is a practical choice when you need a safe, easy-to-use link between a host and a mini-USB device. It pairs a straight USB-A plug with an angled mini-USB-B plug to ease connections in tight spaces. The 2 m length and LSZH jacket balance reach, durability, and improved safety in shared environments.

Prokord Cable USB 2.0 Type A-B Mini Male-Male 2m Black Ang in short:

- Straight USB-A to angled Mini USB-B, reduces connector stress and fits constrained ports.
- 2 m round cable for flexible device placement without adapters.
- USB 2.0 performance up to 480 Mbit/s, suitable for cameras, portable printers, and data syncing.
- Low smoke zero halogen (LSZH) jacket for safer use in enclosed or public spaces.
- Not intended for USB 3.0 speeds or high-power charging applications.

Product details

The cable uses nickel-plated contacts for reliable connections and a round LSZH jacket that resists wear while meeting safety requirements. It delivers standard USB 2.0 data rates and provides limited power at 5 V and up to 0.5 A, making it suitable for typical device communication and light charging. The product is supplied as a single unit for straightforward deployment.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Max data transfer rate	480 Mbit/s
Cable length	2 m
USB version	USB 2.0
Connector 1	USB-A
Connector 1 gender	Male
Connector 1 form factor	Straight
Connector 2	Mini USB-B
Connector 2 gender	Male
Connector 2 form factor	Angled

USB Power Delivery	No
USB Power Delivery up to	2.5 W
Product colour	Black
Cable type	Round cable
Cable jacket material	Low smoke zero halogen (LSZH)
Connector contacts plating	Nickel plating
USB Type-C DisplayPort Alternate Mode	No

Weight & dimensions

Length	2000 mm
--------	---------

Power

Input voltage	5 V
Input current (max)	0.5 A

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------