



Cable USB 2.0 Type A-B Mini Male-Male 3m Black3m USB-A Mini USB-B Black

Data sheet

Summary

- ✓ Connects USB-A ports to Mini-USB B devices over a 3 m cable, ideal for cameras, legacy peripherals, and AV equipment.
- ✓ Supports USB 2.0 data transfer up to 480 Mbit/s for file transfer and control signals.
- ✓ Supplies device power up to 2.5 W (5 V / 0.5 A), suitable for basic device operation and signaling.
- ✓ Round TPE jacket and nickel-plated straight connectors for durable use and straightforward cable management.
- ✓ Consideration: not suitable for USB 3.x speeds or devices that require higher charging power.

Product description

Why choose this cable?

Prokord Cable USB 2.0 Type A-B Mini Male-Male 3m Black provides a reliable 3 meter connection between USB-A hosts and Mini-USB B devices. Its round TPE jacket and straight male connectors offer durable, easy routing for desktop, AV, and equipment-room setups while supporting USB 2.0 data rates and simple plug-and-play operation.

Prokord Cable USB 2.0 Type A-B Mini Male-Male 3m Black in short:

- Connects USB-A ports to Mini-USB B devices over a 3 m cable, ideal for cameras, legacy peripherals, and AV equipment.
- Supports USB 2.0 data transfer up to 480 Mbit/s for file transfer and control signals.
- Supplies device power up to 2.5 W (5 V / 0.5 A), suitable for basic device operation and signaling.
- Round TPE jacket and nickel-plated straight connectors for durable use and straightforward cable management.
- Consideration: not suitable for USB 3.x speeds or devices that require higher charging power.

How to use this cable

The Prokord Cable USB 2.0 Type A-B Mini Male-Male 3m Black links a USB-A host to devices with Mini-USB B ports, such as older digital cameras, audio interfaces, and AV components. It delivers reliable data transfer and basic device power, making it useful for file downloads, device control, and media connectivity. The straight male connectors and flexible round jacket simplify installation in desks, racks, and media setups.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Max data transfer rate	480 Mbit/s
Cable length	3 m
USB version	USB 2.0
Connector 1	USB-A
Connector 1 gender	Male
Connector 1 form factor	Straight
Connector 2	Mini USB-B
Connector 2 gender	Male
Connector 2 form factor	Straight
USB Power Delivery	No

USB Power Delivery up to	2.5 W
Product colour	Black
Cable type	Round cable
Cable jacket material	TPE
Connector contacts plating	Nickel plating

Power

Input voltage	5 V
Input current (max)	0.5 A

Packaging data

Quantity per pack	1 pc(s)
-------------------	----------------

Other features

Number of pins	4
----------------	----------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	-----------------