



Prokord USB-0043

Data sheet

Core Specs

Cable length	5 m
Connector 1	USB-A
Connector 2	USB-B
Product colour	Black
USB version	USB 2.0
USB Power Delivery up to	2.5 W

Summary

- ✓ 5 m length gives flexible placement and neater cable routing
- ✓ LSZH jacket reduces toxic emissions for safer shared spaces
- ✓ Nickel-plated contacts and shielding maintain consistent signals
- ✓ USB 2.0 at 480 Mbit/s supports printers, scanners and peripherals
- ✓ Provides standard 5 V, 0.5 A bus power, not USB Power Delivery

Product description

Why choose this USB cable?

Prokord Cable USB 2.0 Type A-B Male-Male 5m Black gives you a dependable, long-reach connection for USB peripherals. The 5 m length lets you place printers and scanners where they work best, while straight USB-A and USB-B plugs make installation quick. An LSZH jacket reduces toxic emissions in enclosed spaces, and solid shielding helps keep transfers stable.

Prokord Cable USB 2.0 Type A-B Male-Male 5m Black in short:

- Reliable USB 2.0 link for printers, scanners and other USB-B devices, supporting data rates up to 480 Mbit/s.
- 5 m length for flexible device placement and cleaner cable routing.
- Low smoke zero halogen jacket for safer use in offices and public buildings.
- Nickel-plated contacts and shielding for consistent signal quality and corrosion resistance.
- Supplies standard bus power at 5 V and up to 0.5 A (2.5 W); not compatible with USB Power Delivery.

Product details

Prokord Cable USB 2.0 Type A-B Male-Male 5m Black connects a host computer to USB-B peripherals using straight male USB-A and USB-B plugs for straightforward installation. The round cable construction keeps runs neat and makes routing simpler. Nickel-plated contacts and robust shielding reduce interference and support reliable communication within USB 2.0 limits, making the cable suitable for document imaging, peripheral control and general data tasks. It is not designed for higher-speed USB 3.x transfers or PD charging.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Max data transfer rate	480 Mbit/s
Cable length	5 m
USB version	USB 2.0
Connector 1	USB-A
Connector 1 gender	Male
Connector 1 form factor	Straight
Connector 2	USB-B
Connector 2 gender	Male
Connector 2 form factor	Straight

USB Power Delivery	No
USB Power Delivery up to	2.5 W
Product colour	Black
Cable type	Round cable
Cable jacket material	Low smoke zero halogen (LSZH)
Connector contacts plating	Nickel plating
Cable shielding	Nickel plating
Reversible connectors	No
USB Type-C DisplayPort Alternate Mode	No

Weight & dimensions

Length	5000 mm
--------	---------

Power

Input voltage	5 V
Input current (max)	0.5 A

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------