



Prokord USB-0047

Data sheet

Core Specs

Cable length	5 m
Connector 1	USB-A
Connector 2	Micro USB-B
Product colour	White
USB version	USB 2.0
USB Power Delivery up to	2.5 W

Summary

- ✓ 5m length provides flexible placement for printers and scanners
- ✓ USB 2.0 delivers stable data sync at 480Mbit/s for routine transfers
- ✓ LSZH round jacket limits smoke and halogen, safer for installations
- ✓ Straight male USB-A to Micro-B connectors fit common peripherals
- ✓ Nickel plated contacts resist corrosion, ensure reliable connections

Product description

Why choose this cable?

Prokord Cable USB 2.0 Type A-B Micro Male-Male 5m White gives you a long, dependable connection for peripherals and equipment setups. The 5 m LSZH round jacket helps keep installations tidy and meets enhanced safety needs. Straight male USB-A and Micro-USB-B connectors deliver a secure plug-and-play link for everyday data and basic power tasks.

Prokord Cable USB 2.0 Type A-B Micro Male-Male 5m White in short:

- 5 m length with a low smoke zero halogen round jacket, ideal for extended reach in offices and technical racks.
- USB-A to Micro-USB-B straight male connectors for reliable connections to printers, scanners and many mobile accessories.
- USB 2.0 data rate up to 480 Mbit/s, suitable for standard file transfers and device control.
- Nickel-plated contacts improve contact reliability and resist corrosion from repeated use.
- Consideration: limited to USB 2.0 speeds and standard USB power, not suitable for USB 3.0 data rates or advanced power delivery.

Product details

The Prokord Cable USB 2.0 Type A-B Micro Male-Male 5m White links USB-A hosts to Micro-USB-B devices while giving you flexibility in equipment placement. The LSZH jacket reduces toxic smoke and halogen in case of fire, which is useful in enclosed or commercial installations. The cable supports standard USB 2.0 power at 5 V and 0.5 A and provides stable data transfer for routine peripheral use.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Max data transfer rate	480 Mbit/s
Cable length	5 m
USB version	USB 2.0
Connector 1	USB-A
Connector 1 gender	Male
Connector 1 form factor	Straight
Connector 2	Micro USB-B
Connector 2 gender	Male

Connector 2 form factor	Straight
USB Power Delivery	No
USB Power Delivery up to	2.5 W
Product colour	White
Cable type	Round cable
Cable jacket material	Low smoke zero halogen (LSZH)
Connector contacts plating	Nickel plating
Reversible connectors	No

Power

Input voltage	5 V
Input current (max)	0.5 A

Packaging data

Quantity per pack	1 pc(s)
-------------------	----------------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	-----------------