



Prokord USB-0051

Data sheet

Core Specs

Cable length	0.5 m
Connector 1	USB-A
Connector 2	Micro USB-B
Product colour	Blue
USB version	USB 3.2 Gen 1 (3.1 Gen 1)
USB Power Delivery up to	4.5 W

Summary

- ✓ USB 3.2 Gen 1 delivers 5 Gbit/s speeds for fast file moves
- ✓ 0.5m length keeps workspaces tidy for close range setups
- ✓ LSZH jacket improves fire safety and resists wear
- ✓ Straight USB-A to Micro-B ends provide secure, easy plug in
- ✓ Charges at up to 0.9A (4.5W), does not support USB PD protocol

Product description

Why choose this cable?

Prokord Cable USB 3.0 Type A-Micro B Male-Male 0.5m Blue delivers fast, short-range connectivity for devices with USB-A and Micro-USB B ports. It supports USB 3.2 Gen 1 data rates for quick file transfers and features a low smoke zero halogen jacket for improved safety and durability. The compact 0.5 m length reduces clutter while keeping connections secure and easy to access.

Prokord Cable USB 3.0 Type A-Micro B Male-Male 0.5m Blue in short:

- High-speed data transfers up to 5 Gbit/s, suitable for backups and moving large files.
- 0.5 m length keeps workspaces tidy, ideal for close-range setups and rack-mounted equipment.
- LSZH jacket improves fire safety and withstands regular handling in office or field environments.
- Straight USB-A to Micro-B male connectors with nickel-plated contacts for reliable, corrosion-resistant connections.
- Consideration: limited charging capability at about 0.9 A and no USB Power Delivery, not intended for high-power charging.

Product details

This Prokord cable connects devices with USB-A and Micro-USB B ports, such as external drives, cameras, and older mobile devices, for data sync and low-power charging. The bright blue jacket improves visibility in busy cable bundles and the round cable with straight ends makes plugging and routing simple. It is supplied as a single 0.5 m cable and is built for reliable, everyday use where short, safe connections are needed.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Max data transfer rate	5000 Mbit/s
Cable length	0.5 m
USB version	USB 3.2 Gen 1 (3.1 Gen 1)
Connector 1	USB-A
Connector 1 gender	Male
Connector 1 form factor	Straight
Connector 2	Micro USB-B
Connector 2 gender	Male

Connector 2 form factor	Straight
USB Power Delivery	No
USB Power Delivery up to	4.5 W
Product colour	Blue
Cable type	Round cable
Cable jacket material	Low smoke zero halogen (LSZH)
Connector contacts plating	Nickel plating

Power

Output current (max)	0.9 A
----------------------	--------------

Packaging data

Quantity per pack	1 pc(s)
-------------------	----------------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	-----------------