



Cable USB 3.0 Type A-B Male-Male 1m Blue1m USB-A USB-B

Data sheet

Summary

- ✓ USB 3.2 Gen 1 performance for faster transfers with printers, scanners, and external drives.
- ✓ Straight male USB-A to male USB-B connectors for simple, secure connections to common peripherals.
- ✓ Low smoke zero halogen (LSZH) jacket for safer operation in offices and equipment racks.
- ✓ Nickel-plated contacts and a durable round cable for reliable signal integrity and long service life.
- ✓ Consideration: 1 m length is ideal for neat desks but may be short for distant devices; not intended for high-power charging.

Product description

Why choose this USB cable?

Prokord Cable USB 3.0 Type A-B Male-Male 1m Blue is built for fast, reliable data transfers between hosts and peripherals. It supports USB 3.2 Gen 1 performance, keeps your workspace tidy with a 1-meter length, and uses a low smoke zero halogen jacket for improved safety in shared or confined environments.

Prokord Cable USB 3.0 Type A-B Male-Male 1m Blue in short:

- USB 3.2 Gen 1 performance for faster transfers with printers, scanners, and external drives.
- Straight male USB-A to male USB-B connectors for simple, secure connections to common peripherals.
- Low smoke zero halogen (LSZH) jacket for safer operation in offices and equipment racks.
- Nickel-plated contacts and a durable round cable for reliable signal integrity and long service life.
- Consideration: 1 m length is ideal for neat desks but may be short for distant devices; not intended for high-power charging.

Product details

The cable connects standard USB-A hosts to USB-B peripherals, making it suitable for printers, scanners, and other office devices. USB 3.2 Gen 1 provides higher throughput than USB 2.0, so you spend less time waiting for large transfers. Straight male connectors plug in easily and nickel-plated contacts help resist wear and corrosion. The round LSZH jacket balances flexibility and neat cable management while reducing smoke and harmful gases if a fire occurs. The cable carries standard 5 V power for peripherals but is not designed for high-power charging.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	1 m
USB version	USB 3.2 Gen 1 (3.1 Gen 1)
Connector 1	USB-A
Connector 1 gender	Male
Connector 1 form factor	Straight
Connector 2	USB-B
Connector 2 gender	Male
Connector 2 form factor	Straight
USB Power Delivery	No

USB Power Delivery up to	4.5 W
Product colour	Blue
Cable type	Round cable
Cable jacket material	Low smoke zero halogen (LSZH)
Connector contacts plating	Nickel plating

Power

Input voltage	5 V
Output voltage	5 V
Input current (max)	0.9 A

Packaging data

Quantity per pack	1 pc(s)
-------------------	----------------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	-----------------